

Caring People. Improving Lives

Listino prezzi
2024





our vision our mission

We believe healthcare is first and foremost about quality of life. Medical treatments are more than just procedures, they restore health, comfort, confidence and happiness and improves life of millions of patients every year. Our vision is to pave the way of a more human-centered healthcare industry based on proactive lifetime care.

To remain at the top of their game and focus on what matters most, healthcare professionals trust integrated solutions that empower them and improve their practices on a daily basis. We provide comprehensive, intuitive workflow solutions that put technology at the service of people and help healthcare professionals restore patients' health effectively, efficiently, and economically.





About Prophylaxis workflow


This combination of solutions helps dentists easily prevent and diagnose potential dental problems such as periodontal disease and tooth decay. It also allows to perform safe and minimally invasive procedures, providing best care and comfort for patients.





About Implantology workflow


ACTEON®'s implantology workflow leverages its expertise in different areas of the dental care pathway to help practitioners address some of the challenges associated with implantology to facilitate treatment, reduce treatment costs, increase surgical success, reduce chair time and improve the patient experience.





About Digital Prosthesis workflow

ACTEON® digital prosthesis workflow allows practitioners to create effectively both functional and aesthetic smile, and to ensure patients' satisfaction. When it comes to complete prosthetic procedures, our top-of-the-range and innovative products help dentists to perform precise and predictable procedures while delivering the best patients' treatment experience.



A close-up, high-key portrait of a young woman with dark brown hair and brown eyes. She is smiling warmly at the camera, showing her teeth. Her skin is smooth and well-lit from the side, creating soft shadows. The background is a neutral, light gray.

CONTENTS

ACTEON® Imaging

ACTEON® Equipment

ACTEON® Manual instrumentation

ACTEON® Consumables

ACTEON® IMAGING

EXTRA-ORAL RADIOLOGY

INTRA-ORAL RADIOLOGY

COLOR IMAGERY



EXTRA ORAL RADIOLOGY

.....

ACTEON® imaging



EASY IS THE NEW SMART!

- ❖ Easy 2D diagnosis
- ❖ Easy patient positioning
- ❖ Easy user interface
- ❖ Easy installation
- ❖ Easy to use

x-mind prime 2



RELY ON A COMPLETE SET OF PANORAMIC EXAMS

X-MIND® prime offers a full set of panoramic exams for both adult and child, tailored to meet all your clinical applications:

- Panoramic
- Examination of the temporomandibular joints
- Examination of the maxillary sinuses
- Half-panoramic
- Improved orthogonal panoramic
- Detailed frontal dentition
- Low-dose panoramic
- Bite-wing



POSITION EASILY AND EFFICIENTLY YOUR PATIENT

Natural face-to-face positioning supported by alignment lasers for correct patient positioning.

X-MIND® prime is based on a fix & lift principle. Whether sitting or standing at any height, the telescopic columns can be directly adjusted using the control panel.

Its open space configuration suits all types of patients and is easily accessible for wheelchair users, thanks to its zero footprint design.



SIMPLE CONTROL PANEL

The simplified control panel, smartly located below the chin support, provides a streamlined and precise patient positioning.

Benefit from an error-free patient positioning thanks to the automated chin rest support recognition.



THE BRAND VERSION WITH CEPHALOMETRIC ARM

Easy, reliable and safe mobile sensor handling

CEPHALOMETRIC RADIOGRAPHY

With the ACTEON® cephalometric solution entering the X-MIND® prime range, you can now extend the fields of application of the device to orthodontic analysis, improving diagnosis and treatment planning.

2 AVAILABLE CONFIGURATIONS:

- ❖ X-MIND® prime PAN CEPH
- ❖ X-MIND® prime PAN 3D CEPH

X-MIND® prime Pan 2D



Orthopantomograph (OPG), 110V–240V, with one CCD Pan 2D sensor for panoramic imaging.

- 24 adult and child panoramic programs
- Innovative wall-mounted system
- Face-to-face positioning
- Lightest unit on the market
- Installation under an hour by one single technician

ACTEON® Imaging Suite (AIS) streamlines any clinical workflow from patient data management to images acquisition. AIS 2DApp with its clean interface simplifies the diagnostic phase and allows a better communication with the patient with its portable viewer and dedicated image filters. All Acteon imaging devices can be integrated in the same AIS environment. Installation and user e-manuals, 2 years standard warranty. Not included: light.

Class IIb medical devices (IMQ) - CE0051
Manufacturer: de Götzen ACTEON® Group - Italy



2D Wall-mounted version 110–240V

[W1200001](#)

X-MIND® prime Pan 2D CEPH



Orthopantomograph (OPG), 110-240V with single mobile CMOS sensor for panoramic and cephalometric imaging.

Lightweight and compact installation
39 adult and child acquisition programs
Accurate and reliable patient positioning
Fast and easy installation

ACTEON® Imaging Suite (AIS) streamlines any clinical workflow from patient data management to images acquisition. AIS 2DApp with its clean interface simplifies the diagnostic phase and allows a better communication with the patient with its portable viewer and dedicated image filters. All Acteon imaging devices can be integrated in the same AIS environment. Installation and user e-manuals, 2 years standard warranty. Not included: light.



2D version 110-240V

2D version Double sensor 110-240V

[W1200009](#)

[W1200009.DS](#)

X-MIND® prime Pan 3D



Orthopantomograph (OPG), 110V–240V,
with one CMOS sensor used for Pan and 3D.

- 54 adult and child 2D and 3D programs
- Delivered with AIS 3D app and powerful treatment planning tools
- 4 FOV : 50x50, 85x50, 85x93 and 120x100 mm
- Innovative wall-mounted system
- Face-to-face positioning
- Lightest unit on the market
- Installation under an hour by one single technician

ACTEON® Imaging Suite (AIS) Software, for visualization and analysis of 2D and 3D acquisitions and treatment planning. Includes five licenses for 3D app standard, the 3D viewer and implant planning application. Compatible with all 2D and 3D imaging products of the group. Installation and user e-manuals, 2 years standard warranty. Not included: Light.

Class IIb medical devices (IMQ) - CE0051
Manufacturer: de Götzen ACTEON® Group - Italy



3D Wall-mounted version 110–240V + WS + Monitor

W1200005

X-MIND® prime Pan 3D CEPH



Orthopantomograph (OPG), 110-240V equipped with a CMOS PAN/3D panel and a CMOS 2D CEPH sensor.

- 69 adult and child 2D PAN/CEPH and 3D programs
- Delivered with AIS 3D app and powerful treatment planning tools
- 5 FOV : 50x50, 85x50, 85x93 and 120x100 mm
- Accurate and reliable patient positioning
- Fast and easy installation
- Software preinstalled.

ACTEON® Imaging Suite (AIS) Software, for visualization and analysis of 2D and 3D acquisitions and treatment planning. Includes five licenses for 3D app standard, the 3D viewer and implant planning application. Compatible with all 2D and 3D imaging products of the group. Installation and user e-manuals, 2 years standard warranty. Not included: Light.

Class IIb medical devices (IMQ) - CE0051
Manufacturer: de Götzen ACTEON® Group - Italy



3D version 110-240V + WS + Monitor

W1200010

Spare parts



Self-standing base

W1200100

Column

W1200101

XMP 2D PC

Windows 10, 64 bits. Nvidia Graphic card.
no included: network card, monitor, AIS 3D App

4695489200

XMP 3D WORKSTATION

Windows 10, 64 bits. Nvidia Graphic card, 1 Gbit Ethernet Network card.
AIS 3D APP.
not included: monitor

6604900100

22" MONITOR

DELL P2219H 22" monitor

4695454900

Ethernet board dual port

4695488300

Chin rests maxillary sinus

6604011605

Full 2D and 3D panoramic chin rest

6604012000

Chin rest for edentulous

5407098100

TMJ support

6604011800

Temple bar left 2D, 3D & CEPH

6101010212

Temple bar right 2D, 3D & CEPH

6101010112

Pan centering bites x50

6607090100

Disposable bite protective sleeves x100

6607110700

Double ceph sensor upgrade kit

W1205009.DS



x-mind trium

true
low dose

- 👉 3 in 1 System covering Pan, 3D and Ceph exams
- 👉 3D Mapping of bone density
- 👉 4 FOV: From 4x4 to 11x9
- 👉 Up to 50% Dose reduction*
- 👉 75 µm High-resolution image



FOCUS ON THE REGION OF INTEREST

X-MIND® trium offers you a broad selection of field of view, letting you focus on the region of interest for the target diagnosis and reducing the patient's exposure to X-rays:



ø 110x90 mm



ø 80x90 mm



ø 60x60 mm



ø 40x40 mm

DOSE REDUCTION WITHOUT COMPROMISES IN IMAGE QUALITY

Up to 50%* dose reduction with TRUE LOW DOSE CBCT

True low dose helps to reduce the X-ray dose while preserving a high image quality. The unique True Low Dose solution is possible thanks to:




IMAGE ENHANCING ALGORITHM

With the new powerful algorithm, you can now decrease the X-ray settings (up to 50%) with peace of mind. Our Low Dose functionality on the 3D radiographic scan will reveal the same anatomical structures of the X-MIND® trium exam performed with the standard dose.

SMART SLIDE MOVEMENT

X-MIND® trium sensor cassette is sliding closer to the child's head during the exam. This allows to reduce the X-ray dose settings while keeping the exact same image quality as before.

BEFORE SLIDE MOVEMENT



AFTER SLIDE MOVEMENT



AN OUTSTANDING IMAGE QUALITY

The quality of the diagnosis and endodontic treatments improves significantly with the 75 µm resolution of X-MIND® trium.

X-MIND® trium TLD Pan 3D



OrthoPanTomograph (OPG), 115-220V, with Flat Panel Detector for CBCT and panoramic imaging.

- Child-dedicated Panoramic and CBCT programs
- Low dose CBCT programs
- Improved Orthogonality
- TMJ section
- Maxillary Sinus exam
- CBCT FOV Ø40x40, Ø60x60, Ø80x90, Ø110x90

Software preinstalled on the provided workstation and monitor.

ACTEON® Imaging Suite (AIS) Software, for visualisation and analysis of 2D and 3D acquisitions and treatment planning. Includes five licenses for 3D app PRO, the 3D viewer and implant planning application.

Compatible with all 2D and 3D imaging products of the group. Installation and user e-manuals, 2 years standard warranty. Not included: Light.

* The control panel can be placed on the right during installation according to the practitioner's needs



Class IIb medical devices (IMQ) - CE0051
Manufacturer: de Götzen ACTEON® Group - Italy

Control panel on the left*

W0920010

Warranty extensions

Warranty extension for 1 additional year

W0900028

Warranty extension for 2 additional years

W0900029

Warranty extension for 3 additional years

W0900030

X-MIND® trium TLD Pan 3D CEPH



OrthoPanTomograph (OPG), 115-220V, with one CMOS 2D sensor for cephalometry and a flat Panel Detector for CBCT and panoramic imaging.

- Child-dedicated Panoramic and CBCT programs
- Low dose CBCT programs
- Improved Orthogonality
- TMJ section
- Maxillary Sinus exam
- Cephalometric exams
- CBCT FOV Ø40x40, Ø60x60, Ø80x90, Ø110x90

Software preinstalled on the provided workstation and monitor.

ACTEON® Imaging Suite (AIS) Software, for visualisation and analysis of 2D and 3D acquisitions and treatment planning. Includes five licenses for 3D app PRO, the 3D viewer and implant planning application.

Compatible with all 2D and 3D imaging products of the group. Installation and user e-manuals, 2 years standard warranty. Not included: Light.

* The control panel can be placed on the right during installation according to the practitioner's needs



Class IIb medical devices (IMQ) - CE0051
Manufacturer: de Götzen ACTEON® Group - Italy

CEPH right, control panel on the left*

W0920012

CEPH left, control panel on the left*

W0920233

Warranty extensions

Warranty extension for 1 additional year

W0900031

Warranty extension for 2 additional years

W0900032

Warranty extension for 3 additional years

W0900033

Accessories & spare parts

| | |
|---|----------|
| Pan 2D sensor for OrthoPanTomograph (OPG) (to add a second 2D sensor or for replacement) | W0900036 |
| Ceph 2D sensor for OrthoPanTomograph (OPG) and cephalometry (for replacement) | W0900037 |
| CBCT PLAN sensor for 3D imaging (for replacement) | W0900038 |
| PC Client (no monitor) not included: network card, Monitor, AIS 3D App | W0900040 |
| PC workstation 3D (no monitor) Windows 10, Nvidia graphic card, 1 Gbit Ethernet Network card. not included: monitor | W0900042 |
| PC Workstation 2D Windows 10, monitor network card | W0900246 |
| Upgrade kit for dell 3620 WORKSTATION 1Tb SSD Hard drive - 16Gb RAM - P620 Nvidia GPU (display card) | W0900277 |
| 27" Monitor Lenovo P27H-10 27" monitor | W0900141 |
| Remote trigger & 15m cable | W0900091 |
| Ears protections X-MIND® trium (280 pcs) only for arms Ceph | W0900110 |
| Chin rests, bite block,TMJ X-MIND® trium | W0900080 |
| Temple bars left/right X-MIND® trium | W0900071 |
| Sliding bite blocks X-MIND® trium (10 pcs) | W0900142 |
| Bite protections X-MIND® trium (500 pcs) | W0900113 |



X-MIND® TRIUM Self Standing Base

W0900236





AIS 3D App 5.0

AIS 3D APP 5.0 Start W1000023

AIS 3D APP 5.0 Pro W1000024

AIS 3D APP 5.0 Design 1 year license, for the first year W1000025

AIS 3D APP 5.0 Design 1 year license, starting the second year W1000026

ACTEON® Imaging Suite - DICOM Licence

Licence AIS DICOM package W0900153



INTRA ORAL RADIOLOGY

.....

ACTEON® imaging



x-mind unity



Compatible with
DICOM® WINDOWS®



- ◆ 0.4 mm focal spot
- ◆ Configurable radiological settings (time, mA, kV)
- ◆ Ace – Reducing patient dose
- ◆ Dosage display
- ◆ Top and bottom mounting

X-MIND® unity is pre-wired for the integration of the SOPIX® Plug-in / SOPIX®² Plug-in digital sensor.

X-MIND® unity is Delivered with a long cone in standard version.

X-MIND® unity - Mobile



Package including mobile support and X-MIND® unity for mobile support

Mobile support for X-MIND® unity 3.457,80 € W0800127

X-MIND® unity for mobile support: +

Mobile support - Long cone W0800085

Mobile support - Short cone W0800091

Mobile support - Long square cone W0800128

Mobile support - Short square cone W0800129

X-MIND® unity - Top mounting

| | | |
|---|------------|-----------|
| Short cone - extensor 0.40m | 3.128,50 € | W08000000 |
| Short cone - extensor 0.80m | 3.128,50 € | W08000001 |
| Short cone - extensor 1.10m | 3.128,50 € | W08000002 |
| Long cone - extensor 0.40m | 3.128,50 € | W08000003 |
| Long cone - extensor 0.80m | 3.128,50 € | W08000004 |
| Long cone - extensor 1.10m | 3.128,50 € | W08000005 |
| Short square cone - extensor 0.40m | 3.128,50 € | W0800102 |
| Short square cone - extensor 0.80m | 3.128,50 € | W0800103 |
| Short square cone - extensor 1.10m | 3.128,50 € | W0800104 |
| Long square cone - extensor 0.40m | 3.128,50 € | W0800006 |
| Long square cone - extensor 0.80m | 3.128,50 € | W0800007 |
| Long square cone - extensor 1.10m | 3.128,50 € | W0800008 |

X-MIND® unity - Bottom mounting

| | | |
|---|------------|----------|
| Short cone - extensor 0.40m | 3.128,50 € | W0800009 |
| Short cone - extensor 0.80m | 3.128,50 € | W0800010 |
| Short cone - extensor 1.10m | 3.128,50 € | W0800011 |
| Long cone - extensor 0.40m | 3.128,50 € | W0800012 |
| Long cone - extensor 0.80m | 3.128,50 € | W0800013 |
| Long cone - extensor 1.10m | 3.128,50 € | W0800014 |
| Short square cone - extensor 0.40m | 3.128,50 € | W0800105 |
| Short square cone - extensor 0.80m | 3.128,50 € | W0800106 |
| Short square cone - extensor 1.10m | 3.128,50 € | W0800107 |
| Long square cone - extensor 0.40m | 3.128,50 € | W0800015 |
| Long square cone - extensor 0.80m | 3.128,50 € | W0800016 |
| Long square cone - extensor 1.10m | 3.128,50 € | W0800017 |

Accessories & spare parts



X-MIND® unity short cone 90,00 € W0800018



X-MIND® unity long cone 90,00 € W0800019



X-MIND® unity short square cone 90,00 € W0800137



X-MIND® unity long square cone 90,00 € W0800020



X-MIND® unity tubehead 2.172,40 € W0800022





X-MIND® unity timer 1.106,50 € W0800023



**IRIX 70 wall plate
for X-MIND® unity installation** 180 € W0800100

Spare parts

| | | |
|---|------------|----------|
| Extensor 0.40m X-MIND® unity top mounting | 311,80 € | W0800025 |
| Extensor 0.80m X-MIND® unity top mounting | 311,80 € | W0800026 |
| Extensor 1.10m X-MIND® unity top mounting | 311,80 € | W0800027 |
| Extensor 0.40m X-MIND® unity bottom mounting | 311,80 € | W0800028 |
| Extensor 0.80m X-MIND® unity bottom mounting | 311,80 € | W0800029 |
| Extensor 1.10m X-MIND® unity bottom mounting | 311,80 € | W0800030 |
| Extensor pantograph X-MIND® unity | 1.146,00 € | W0800031 |



x-mind dc



- ◆ Long lasting high performance
- ◆ Easy-to-use
- ◆ Flexible installation alternatives for more practice
- ◆ Different cones to improve your experience in all your clinical needs

Delivered with a generator 70KV, a pantograph, an extensor and a timer.



X-MIND® DC - Mobile



| | | |
|------------------------------|------------|------------|
| Mobile support - Long cone | 2.925,40 € | 5.92.23133 |
| Mobile support - Square cone | 2.925,40 € | 5.92.23163 |

Class IIb medical devices (IMQ) - CE0051 Manufacturer: de Götzen ACTEON® Group - Italy

X-MIND® DC - Top mounting

| | | |
|--|------------|------------|
| Long cone - extensor 0.40m (max. distance 143cm) | 2.588,40 € | 5.92.23138 |
| Long cone - extensor 0.80m (max. distance 184cm) | 2.588,40 € | 5.92.23138 |
| Long cone - extensor 1.10m (max. distance 212cm) | 2.588,40 € | 5.92.23139 |
| Square cone - extensor 0.40m (max. distance 143cm) | 2.588,40 € | 5.92.23167 |
| Square cone - extensor 0.80m (max. distance 184cm) | 2.588,40 € | 5.92.23168 |
| Square cone - extensor 1.10m (max. distance 212cm) | 2.588,40 € | 5.92.23169 |

X-MIND® DC - Bottom mounting

| | | |
|--|------------|------------|
| Long cone - extensor 0.40m (max. distance 143cm) | 2.588,40 € | 5.92.23130 |
| Long cone - extensor 0.80m (max. distance 184cm) | 2.588,40 € | 5.92.23131 |
| Long cone - extensor 1.10m (max. distance 212cm) | 2.588,40 € | 5.92.23132 |
| Square cone - extensor 0.40m (max. distance 143cm) | 2.588,40 € | 5.92.23160 |
| Square cone - extensor 0.80m (max. distance 184cm) | 2.588,40 € | 5.92.23161 |
| Square cone - extensor 1.10m (max. distance 212cm) | 2.588,40 € | 5.92.23162 |

X-MIND® DC - Unit

| | | |
|-------------------------------------|------------|------------|
| Long cone - mounting extensor 0.40m | 2.678,40 € | 5.92.23135 |
|-------------------------------------|------------|------------|

X-MIND® DC - Ceiling

| | | |
|--|------------|------------|
| Long cone - ceiling mounting extensor 0.40m (standard Faro column Ø60cm) Ceiling fasteners not included | 2.678,40 € | 5.92.23136 |
|--|------------|------------|

X-MIND® DC - II UNIT

Long cone

| | | |
|----------------------------|------------|------------|
| Without timer and extensor | 2.023,40 € | 5.93.23231 |
|----------------------------|------------|------------|

Class IIb medical devices (IMQ) - CE0051 Manufacturer: de Götzen ACTEON® Group - Italy

x-mind ac



- 👉 Long lasting high performance
- 👉 Easy-to-use
- 👉 Flexible installation alternatives for more practice
- 👉 Different cones to improve your experience in all your clinical needs

Delivered with a generator 70KV, a pantograph, an extensor and a timer.

X-MIND® AC - Mobile



| | | |
|------------------------------|------------|------------|
| Mobile support - Long cone | 2.543,40 € | 5.90.23133 |
| Mobile support - Square cone | 2.543,40 € | 5.90.23163 |

Class IIb medical devices (IMQ) - CE0051
Manufacturer: de Götzen ACTEON® Group - Italy

X-MIND® AC - Top mounting

| | | |
|--|------------|------------|
| Long cone - extensor 0.40m (max. distance 143cm) | 2.173,80 € | 5.90.23137 |
| Long cone - extensor 0.80m (max. distance 184cm) | 2.173,80 € | 5.90.23138 |
| Long cone - extensor 1.10m (max. distance 212cm) | 2.173,80 € | 5.90.23139 |
| Square cone - extensor 0.40m (max. distance 143cm) | 2.173,80 € | 5.90.23167 |
| Square cone - extensor 0.80m (max. distance 184cm) | 2.173,80 € | 5.90.23168 |
| Square cone - extensor 1.10m (max. distance 212cm) | 2.173,80 € | 5.90.23169 |

X-MIND® AC - Bottom mounting

| | | |
|--|------------|------------|
| Long cone - extensor 0.40m (max. distance 143cm) | 2.173,80 € | 5.90.23130 |
| Long cone - extensor 0.80m (max. distance 184cm) | 2.173,80 € | 5.90.23131 |
| Long cone - extensor 1.10m (max. distance 212cm) | 2.173,80 € | 5.90.23132 |
| Square cone - extensor 0.40m (max. distance 143cm) | 2.173,80 € | 5.90.23160 |
| Square cone - extensor 0.80m (max. distance 184cm) | 2.173,80 € | 5.90.23161 |
| Square cone - extensor 1.10m (max. distance 212cm) | 2.173,80 € | 5.90.23162 |

X-MIND® AC - Unit

| | | |
|-------------------------------------|------------|------------|
| Long cone - mounting extensor 0.40m | 2.318,40 € | 5.90.23135 |
|-------------------------------------|------------|------------|

X-MIND® AC - Ceiling

| | | |
|---|------------|------------|
| Long cone - ceiling mounting extensor 0.40m | 2.318,40 € | 5.90.23136 |
| (standard Faro column Ø60cm) Ceiling fasteners not included | | |

X-MIND® AC - II UNIT

Long cone

| | | |
|----------------------------|------------|------------|
| Without timer and extensor | 1.586,30 € | 5.91.23231 |
|----------------------------|------------|------------|

Class IIb medical devices (IMQ) - CE0051
Manufacturer: de Götzen ACTEON® Group - Italy

Spare parts



X-MIND® AC tubehead 1.275,60 € 5.21.23130



X-MIND® DC tubehead 1.689,40 € 5.31.23130




X-MIND® AC timer 721,70 € 5.25.23130



X-MIND® DC timer 721,70 € 5.35.23130



Short cone (20cm SSD) 83,40 € 29701195



Long cone (31cm SSD) 98,80 € 29701197



Square cone (31cm SSD) 92,20 € 29701199.C



IRIX 70 wall plate
for X-MIND® AC or DC installation 199,80 € 22002350



X-MIND® AC/DC wall plate
bottom mounting 129,50 € 29700384.C



X-MIND® AC/DC wall plate
top mounting 129,50 € 29700385.C

Spare parts



X-MIND® AC pantograph 738,80 € 29700813.C



X-MIND® DC pantograph 738,80 € 29701006.C



X-MIND® AC/DC 0.40m extensor
bottom mounting 194,80 € 29700380.C



X-MIND® AC/DC 0.80m extensor
bottom mounting 194,80 € 29700378.C



X-MIND® AC/DC 1.10m extensor
bottom mounting 194,80 € 29700379.C



X-MIND® AC/DC 0.80m extensor
with pantograph and wall plate 979,20 € 5.30.00131



X-MIND® AC/DC 1.10m extensor
with pantograph and wall plate 979,20 € 5.30.00132



X-MIND® AC/DC 0.40m extensor
top mounting 194,80 € 29700620.C



X-MIND® AC/DC 0.80m extensor
top mounting 194,80 € 29700621.C



X-MIND® AC/DC 1.10m extensor
top mounting 194,80 € 29700622.C



X-MIND® AC/DC 0.40m extensor
column unit 194,80 € 29700381.C



X-MIND® AC/DC 0.40m extensor
ceiling mounting 194,80 € 29700382.C




X-MIND® AC/DC UNITY ECB 92,20 € 5.15.00133




X-MIND® AC/DC UNITY LIGHT
230 V 112,00 € 5.15.00132


Mounting



BRACKET 0.41m




BRACKET 0.825m



BRACKET 1.10m





prix²

- A striking contrast for an accurate diagnosis
- The most compact PSP scanner on the market
- Touchscreen for intuitive indications
- Elegant design fits within your dental office
- Various sizes for more adaptability



PSPIX®² - Digital imaging plate system

6.526,00 € S_702_0001

with 4 imaging plates (2x size 1, 2x size 2), 200 bags & covers for imaging plate (100x size 1, 100x size 2), an imaging plate storage box, 1 stylus for touchscreen, 10 samples of Soprowipes, 1 power supply 100-240 VAC, 1 Ethernet cable, [SOPRO Imaging software and its licence](#).

PSPIX®² - Digital imaging plate system

6.526,00 € S_702_0013

with 4 imaging plates (2x size 1, 2x size 2), 200 bags & covers for imaging plate (100x size 1, 100x size 2), an imaging plate storage box, 1 stylus for touchscreen, 10 samples of Soprowipes, 1 power supply 100-240 VAC, 1 Ethernet cable, [the ACTEON® Imaging Suite \(AIS\) software](#).

| | WINDOWS® MINIMUM CONFIGURATION REQUIRED | MAC® MINIMUM CONFIGURATION REQUIRED |
|-------------------|---|-------------------------------------|
| Processor | Intel i5 4 cores - 8 threads | Intel i5 4 cores - 8 threads |
| Hard disk | 300 GB | 300 GB |
| RAM | 4 GB | 4 GB |
| Graphic card | Compatible OPEN GL 2.1 (suggested an NVIDIA GT/GTX) or alternatively DirectX 9 or 11 Graphic device | Compatible OPEN GL 2.1 |
| Screen resolution | 1280 x 1024 | 1680 x 1050 |
| Network card | 100 Mb | 100 Mb |
| Operation system | Windows 10 PRO 64 bits | macOS Catalina (10.15) |

Accessories

Standard imaging plate

| | PSPIX® ² | PSPIX® ² | | | PSPIX® 1 st generation |
|------------------------------|---------------------|---------------------|---------------|----------|--------------------------------------|
| | | Set of 2 | | Set of 6 | |
| Size 0 (22 x 35mm) | | 109,80 € | 990215 | | 430,30 € S_700178 |
| Size 1 (24 x 40mm) | | 109,80 € | 990216 | | 430,30 € S_700179 |
| Size 2 (31 x 41mm) | | 109,80 € | 990217 | | 430,30 € S_700180 |
| Size 3 (27 x 54mm) | | 109,80 € | 990218 | | 430,30 € S_700181 |

PSPIX®² imaging plate - Class IIa Medical devices (GMED) - CE0459 - Manufacturer: Sopro ACTEON® Group - France
PSPIX® imaging plate - Class IIa Medical devices (Eurofins) - CE0537 - Manufacturer: Soredex - Distributor: Sopro ACTEON® Group

Accessories

Protective bag for imaging plate

| PSPIX® ² & PSPIX® 1 st generation | | | |
|--|--|---------|---------|
| Set of 250 | | | |
| Size 0 | | 73,50 € | 700342L |
| Size 1 | | 73,50 € | 700343L |
| Size 2 | | 73,50 € | 700344L |
| Size 3 | | 73,50 € | 700345L |

Bag & cover for imaging plate

with integrated cardboard envelop

| PSPIX® ² | | | PSPIX® ² 1 st generation | | | |
|---------------------|--|----------|---|--|----------|---------|
| Set of 300 | | | Set of 250 | | | |
| Size 0 | | 109,80 € | 700546 | | 120,70 € | 700338L |
| Size 1 | | 109,80 € | 700547 | | 120,70 € | 700339L |
| Size 2 | | 109,80 € | 700548 | | 120,70 € | 700340L |
| Size 3 | | 109,80 € | 700549 | | 120,70 € | 700341L |

Accessories



Bag & cover for imaging plate start up kit
(set of 100 pieces of size 1 and 100 pieces of size 2)

75,70 € 700550



Imaging plate storage box
(without imaging plates)

52,70 € 990219



Stylus for PSPIX®² touchscreen

7,70 € 005132



Cleaning plate for PSPIX®²

23,10 € 990243



Unit Cover for PSPIX®²

31,80 € 990247



Autoclavable removable parts for PSPIX®²
with 1 removable autoclavable receptacle and 1 autoclavable insertion guide for imaging plates

232,70 € 990241



Size 4 kit for PSPIX®²
with 1 positioning holder (size 4),
3 imaging plates (size 3) and
100 Hygiene Bag (size 4)

265,60 € 990252



Plastic holder size 4

17,60 € 990251



Imaging plates size 3 (Set of 3)

183,30 € 990248




Protective bag size 4 (Set of 100)

59,30 € 700644

Accessories

**KIT ALIMENTATION PSPIX²**

90,00 €

925068 +
107177**Positioning set for PSPIX^{®2} & PSPIX[®] imaging plate**with five positoning holders with ring for
bitewing and one centring devices

125,00 € S_700195

**Positioning set for PSPIX^{®2} & PSPIX[®] imaging plate⁽³⁾**with two positoning holders with ring for
anterior teeth, two positoning holders with
ring for posterior teeth and two centring
devices

185,00 € S_700196

**ACTEON[®] Imaging Suite⁽⁴⁾ (AIS)**
USB stick

720,00 €

990317

(1) - PSPIX Imagine plate: Class IIa medical devices (Eurofins) - CE 0537 - Manufacturer: Soredex - Distributor: Sopro ACTEON[®] Group - France

(2) - Class I medical devices - CE - Manufacturer: Sopro ACTEON[®] Group - France

(3) - Class I medical device - CE - Manufacturer: KerrHawe SA - Distributor: Sopro ACTEON[®] Group - France

(4) - Class IIb Medical device (IMQ) - CE0051 - Manufacturer: de Gotzen ACTEON[®] Group - Italy



SMART SENSOR FOR EFFORTLESS PERFORMANCE

sopix
plug-in

sopix 2
plug-in



SMART FLOW

Our mobile sensors adapt to all clinical cases, all morphologies and all software, to provide you and your patients greater comfort.



SMART DOSE

The ACE® technology protects both the image and your patient from unnecessary exposure.

AN EFFICIENT PROTECTION WITH A MINIMAL EXPOSURE TIME

The Automatic Control Exposure® technology analyses in real-time the amount of X-rays accumulated by the sensor.

Once the sensors receive the required radiation dose, it order to the X-mind® unity to limit the emission of X-rays. You take an optimal quality x-ray from the first time avoiding overexposure risk to both the image and the patient.

Thus, even with a too high set-up of your generator, the patient receives the minimum dose required to provide a high-quality image.





SMART TECHNOLOGY

Our latest generation of digital sensors provide a sharp X-ray image for an easy reading of the different dental tissues.

EXPERIENCE THE LATEST GENERATION OF DIGITAL SENSORS

The FIBER2PIXEL® technology is based on the use of wide spectrum optical microfibers, guaranteeing the clarity and the contrast of the images.



sopix² plug-in



SOPIX® PLUG-IN size 1 with SOPIX® Plug-in dock

3.800,70 € S_K60_1000

SOPIX® PLUG-IN size 2 with SOPIX® Plug-in dock

5.088,20 € S_K60_1001

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 18pl/mm, 0.70m cable. Includes ACE technology (Automatic Control Exposure).

with a sensor holder, 10 sensor sheaths, the ACTEON® Imaging Suite (AIS) software.

The sensor can be used with Sopix® Plug-in dock.

sopix plug-in

SOPIX®² PLUG-IN size 1 with SOPIX® Plug-in dock

4.264,20 € S_K60_1002

SOPIX®² PLUG-IN size 2 with SOPIX® Plug-in dock

6.468,40 € S_K60_1003

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 12pl/mm, 0.70m cable. Includes ACE technology (Automatic Control Exposure).

with a sensor holder, 10 sensor sheaths, the ACTEON® Imaging Suite (AIS) software.

The sensor can be used with Sopix® Plug-in dock.

sopix

sopix 2

- Striking contrast thanks to FIBER2PIXEL® technology
- High Quality images
- No more overexposed images with ACE technology
- Rounded edges and corners for better comfort



SOPIX®[®]



| | | |
|---|-------------------|-------------------|
| SOPIX®[®] USB2 Sensor size 1 high definition | 3.657,60 € | S_802_0004 |
| SOPIX®[®] USB2 Sensor size 2 high definition | 5.159,30 € | S_802_0005 |

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 18pl/mm, 3.70m cable. Includes ACE technology (Automatic Control Exposure).

with a sensor holder, 10 sensor sheaths, [SOPRO Imaging software and its licence](#).

SOPIX®[®]



| | | |
|---|-------------------|-------------------|
| SOPIX®[®] USB2 Sensor size 1 high definition | 3.657,60 € | S_802_0008 |
| SOPIX®[®] USB2 Sensor size 2 high definition | 5.159,30 € | S_802_0009 |

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 18pl/mm, 3.70m cable. Includes ACE technology (Automatic Control Exposure).

with a sensor holder, 10 sensor sheaths, [the ACTEON® Imaging Suite \(AIS\) software](#).

| | WINDOWS® MINIMUM CONFIGURATION REQUIRED | MAC® MINIMUM CONFIGURATION REQUIRED |
|-------------------|---|-------------------------------------|
| Processor | Intel i5 4 cores - 8 threads | Intel i5 4 cores - 8 threads |
| Hard disk | 300 GB | 300 GB |
| RAM | 4 GB | 4 GB |
| Graphic card | Compatible OPEN GL 2.1 (suggested an NVIDIA GT/GTX) or alternatively DirectX 9 or 11 Graphic device | Compatible OPEN GL 2.1 |
| Screen resolution | 1280 x 1024 | 1680 x 1050 |
| Network card | 100 Mb | 100 Mb |
| Operation system | Windows 10 PRO 64 bits | macOS Catalina (10.15) |

SOPIX®



| | | |
|---|-------------------|-------------------|
| SOPIX® USB2 Sensor size 1 standard definition | 2.982,50 € | S_802_3000 |
| SOPIX® USB2 Sensor size 2 standard definition | 4.819,00 € | S_802_3001 |

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 12pl/mm, 3.70m cable. Includes ACE technology (Automatic Control Exposure).

with a sensor holder, 10 sensor sheaths, [SOPRO Imaging software and its licence](#).

SOPIX®



| | | |
|---|-------------------|-------------------|
| SOPIX® USB2 Sensor size 1 standard definition | 2.982,50 € | S_802_3008 |
| SOPIX® USB2 Sensor size 2 standard definition | 4.819,00 € | S_802_3009 |

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 12pl/mm, 3.70m cable. Includes ACE technology (Automatic Control Exposure).

with a sensor holder, 10 sensor sheaths, [the ACTEON® Imaging Suite \(AIS\) software](#).

Accessories

**Positioning set for SOPIX®/SOPIX® series sensors**

with five positioning holders with ring
(bitewing, anterior, posterior, endo
anterior, endo posterior)

321,60 € 700042

**SOPIX®/ SOPIX® sensor holder**

size 1 or Size 2

32,90 € 926039

**Sheaths for SOPIX®/ SOPIX®**

(500 pieces in a single pasteboard)

for size 1 SOPIX[®] series sensors

for size 2 SOPIX[®] series sensors

276,60 € 403026

276,60 € 403027

**USB2.0 active repeater cable (Booster)**

length: 5m

96.60 € 700381

**ACTEON® Imaging Suite⁽¹⁾ (AIS)**

USB stick

720,00 € 990317

(1) - Class IIb Medical device (IMQ) - CE0051 - Manufacturer: de Gotzen ACTEON® Group - Italy



u.sense HD

u.sense



- Stricking contrast for better tissue differentiations
- High resolution images 25lp/mm
- 3 seconds acquisition time
- Direct connection to the computer
- 2 sizes to meet any application needs

U-SENSE HD



U-SENSE HD Size 1* **3.375,50 €** **W1300003**

U-SENSE HD Size 2* **4.500,70 €** **W1300004**

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 18pl/mm, 3.0 m USB cable.
with a sensor holder, 20 sensor sheaths, the ACTEON® Imaging Suite (AIS) software.

U-SENSE



U-SENSE Size 1* **2.700,40 €** **W1300001**

U-SENSE Size 2* **3.825,60 €** **W1300002**

CMOS sensor with optic fiber of 1.5 million of pixels (size 1) or 2.21 millions of pixels (size 2), theoretical resolution of 25pl/mm, actual resolution > 14pl/mm, 3.0 m USB cable.
with a sensor holder, 20 sensor sheaths, the ACTEON® Imaging Suite (AIS) software.

*please address to your ACTEON® contact the to check the availability of this product in your country

Class IIa medical device - CE - Manufacturer: de Götzen ACTEON® Group - Italy

Accessories

ACTEON® Imaging Suite (AIS) software



ACTEON® Imaging Suite (AIS)
USB stick

720,00 €

990317

Class IIb Medical device (IMQ) - CE0051 - Manufacturer: de Gotzen ACTEON® Group - Italy



| | WINDOWS® MINIMUM CONFIGURATION REQUIRED | MAC® MINIMUM CONFIGURATION REQUIRED |
|-------------------|---|--|
| Processor | Intel i5 4 cores - 8 threads | Intel i5 4 cores - 8 threads |
| Hard disk | 300 GB | 300 GB |
| RAM | 4 GB | 4 GB |
| Graphic card | Compatible OPEN GL 2.1 (suggested an NVIDIA GT/GTX) or alternatively DirectX 9 or 11 Graphic device | Compatible OPEN GL 2.1 |
| Screen resolution | 1280 x 1024 | 1680 x 1050 |
| Network card | 100 Mb | 100 Mb |
| Operation system | Windows 10 PRO 64 bits | macOS Catalina (10.15) |

COLOR IMAGERY

.....



YOUR VIEW. WHERE OTHERS CAN ONLY IMAGINE

C50

- Full HD
- Vision mode
- Auto focus
- Macro vision
- 5 cameras shots* available in ONE camera



Improved patient follow-up

- More information about your patients:
age, illnesses, diet, oral hygiene, etc.
- Lasting trust between you and your patients.

C50 with diag aid

4.463,00 € S_C50_0001

C50 without diag aid

3.090,00 € S_C50_0002

with ACTEON® Imaging Suite (AIS) software and its licence.

Class I medical device - CE - Manufacturer: Sopro ACTEON® Group - France



ALL YOU NEED TO SEE AT YOUR FINGERTIPS

Unprecedented vision with Daylight mode

- Improved interpretation of tooth shades with rendering of natural colors.
- A powerful support for controlling pathologies, post-treatment and facilitate the follow up process.

Exclusive macrovision performance

- Extreme visibility for ultra-precise diagnosis.

But also...

- Crystal clear vision with greater depth of field.
- A single camera for all shots: macro, intraoral, tooth, smile and portrait.


Macro



Intra-oral



Portrait



Tooth



Smile



| | WINDOWS® MINIMUM CONFIGURATION REQUIRED | MAC® MINIMUM CONFIGURATION REQUIRED |
|-------------------|---|-------------------------------------|
| Processor | Intel i5 4 cores - 8 threads | Intel i5 4 cores - 8 threads |
| Hard disk | 300 GB | 300 GB |
| RAM | 4 GB | 4 GB |
| Graphic card | Compatible OPEN GL 2.1 (suggested an NVIDIA GT/GTX) or alternatively DirectX 9 or 11 Graphic device | Compatible OPEN GL 2.1 |
| Screen resolution | 1280 x 1024 | 1680 x 1050 |
| Network card | 100 Mb | 100 Mb |
| Operation system | Windows 10 PRO 64 bits | macOS Catalina (10.15) |

soprocare

With the push of a button, SOPROCARE® instantly and easily highlights

- Caries
- Plaque
- Calculus
- Gingival inflammation



SELECTIVE CHROMATIC AMPLIFICATION

3 needs, 3 modes

PERIO Mode



CARIO Mode



DAYLIGHT Mode

SOPROCARE® is an unparalleled communication tool in the dental practice!



SOPROCARE® handpiece **SOPRO Imaging software** and its licence. **2.700,40 €** **S_950_0001**



SOPROCARE®
+
Mini Dock USB2

3.038,50 €
+
S_717_1600



SOPROCARE®
+
Mini Dock U USB2⁽¹⁾

S_950_0001
+
**MINI DOCK
U_USB2**

SOPROCARE® handpiece **ACTEON® Imaging Suite (AIS)**
software and its licence.

2.700,40 € **S_950_0008**



SOPROCARE®
+
Mini Dock USB2

3.038,50 €
+
S_717_1602



SOPROCARE®
+
Mini Dock U USB2⁽¹⁾

S_950_0008
+
**MINI DOCK
U_USB2**

(1) Mini Dock U USB2 : Built-in docking station with USB2 output.
Class I medical devices - CE - Manufacturer: Sopro ACTEON® Group - France

| | WINDOWS® MINIMUM CONFIGURATION REQUIRED | MAC® MINIMUM CONFIGURATION REQUIRED |
|-------------------|---|--|
| Processor | Intel i5 4 cores - 8 threads | Intel i5 4 cores - 8 threads |
| Hard disk | 300 GB | 300 GB |
| RAM | 4 GB | 4 GB |
| Graphic card | Compatible OPEN GL 2.1 (suggested an NVIDIA GT/GTX) or alternatively DriectX 9 or 11 Graphic device | Compatible OPEN GL 2.1 |
| Screen resolution | 1280 x 1024 | 1680 x 1050 |
| Network card | 100 Mb | 100 Mb |
| Operation system | Windows 10 PRO 64 bits | macOS Catalina (10.15) |

sopro617

- Easy to use
- Patient communication
- Great asset for case acceptance

INTRAORAL



USE AN IMAGE, THE KEY TO EDUCATION AND CASE ACCEPTANCE

- Rounded shape and thin distal part for maximum accessibility and unrivalled patient comfort
- 105° angle of view for better exploration of distal areas
- Fixed focus with large depth of field, providing high-quality images
- Ease of use: point and shoot
- Freeze the image with a simple slide over the SOPRO® Touch

ONE TOOTH



SOPRO® 617 handpiece SOPRO Imaging software and its licence. **1.069,20 € S_617_0001**



SOPRO® 617
+
Mini Dock USB2

1.350,20 €
S_617_0001
+
S_717_1600



SOPRO® 617
+
Mini Dock U USB2⁽¹⁾

S_617_0001
+
**MINI DOCK
U_USB2**

SOPRO® 617 handpiece ACTEON® Imaging Suite (AIS) software and its licence.

1.069,20 € S_617_0031



SOPRO® 617
+
Mini Dock USB2

1.350,20 €
S_617_0031
+
S_717_1602



SOPRO® 617
+
Mini Dock U USB2⁽¹⁾

S_617_0031
+
**MINI DOCK
U_USB2**

(1) Mini Dock U USB2 : Built-in docking station with USB2 output.
Class I medical devices - CE - Manufacturer: Sopro ACTEON® Group - France

| | WINDOWS® MINIMUM CONFIGURATION REQUIRED | MAC® MINIMUM CONFIGURATION REQUIRED |
|-------------------|---|-------------------------------------|
| Processor | Intel i5 4 cores - 8 threads | Intel i5 4 cores - 8 threads |
| Hard disk | 300 GB | 300 GB |
| RAM | 4 GB | 4 GB |
| Graphic card | Compatible OPEN GL 2.1 (suggested an NVIDIA GT/GTX) or alternatively DirectX 9 or 11 Graphic device | Compatible OPEN GL 2.1 |
| Screen resolution | 1280 x 1024 | 1680 x 1050 |
| Network card | 100 Mb | 100 Mb |
| Operation system | Windows 10 PRO 64 bits | macOS Catalina (10.15) |

Docking stations


Mini Dock USB2

docking station USB2.0 Including one 2.5 meters linking cable and one 0.8 meter repeater cable - [the ACTEON® Imaging Suite \(AIS\) software](#).

408,40 € S_717_1602


Mini Dock USB2

docking station USB2.0 Including one 2.5 meters linking cable and one 0.8 meter repeater cable - [SOPRO Imaging software and its licence](#).

408,40 € S_717_1600


Mini Dock U USB2

built-in docking station with USB2 output
Please select the accessories for this module on next page

MINI DOCK U_USB2

Class I medical devices - CE - Manufacturer: Sopro ACTEON® Group - France

ACTEON® Imaging Suite (AIS) software


ACTEON® Imaging Suite⁽²⁾ (AIS)
USB stick

720,00 € 990317

Class IIb Medical device (IMQ) - CE0051 - Manufacturer: de Gotzen ACTEON® Group - Italy

SOPRO Imaging Suite software

SOPRO Imaging software Windows

123,60 € 505036

SOPRO Imaging software MAC

123,60 € 505022


BUILT-IN DOCKING STATION


Mini dock U USB2

SHEATH


RAL 9002 colour



A-dec 300 colour

A-dec 500 colour

Belmont colour



Fedesa colour



Without sheath

HOLDER


Instrument



Standard



Cattani Ø21



UK pending



Handpiece holder

LINKING CABLE


2m



2.5m



5m



7m

ACCESSORIES


USB2.0 cable
5m



USB



For Integrated Dock

Accessories



USB2 footswitch for image memory 230,50 € 009009



Sheaths for SOPROLIFE®, SOPROCARE® or SOPRO® 717 First
500 pieces in a single pasteboard 255,80 € 403017



Sheaths for SOPRO® 617
500 pieces in a single pasteboard 255,80 € 403023



Sheaths for SOPRO® 595
500 pieces in a single pasteboard 255,80 € 403001



Sheaths for C50®
500 pieces in a single pasteboard 309,10 € 403050

Handpiece holder for SOPROLIFE®, SOPROCARE®, Sopro® 717 First, SOPRO® 617 and SOPRO® 595
only for unsheathed linking cables 38,40 € 926063


SOPROTIPS for SOPROLIFE® and SOPROCARE®
protection tip against light
sterilization by autoclave (set of 4 pieces) 73,50 € 990135

C50® tips
protection tip against light
sterilization by autoclave (set of 4 pieces) 73,50 € 990314


Cables




USB2.0 active repeater cable (Booster)
length: 5m 96,60 € 700381



Windows connection



Mac connection



A close-up, black and white photograph of a woman's face. She has dark, wavy hair and is smiling broadly, showing her teeth. Her eyes are looking slightly to the side. The lighting is dramatic, with strong highlights and shadows.

ACTEON®
EQUIPMENT

SURGERY

.....



Warning

Some accessories adapted to PIEZOTOME® 2, PIEZOTOME® Solo, PIEZOTOME® Cube and IMPLANTCENTER™ 2 are not compatible with the first generation PIEZOTOME® and IMPLANTCENTER™, and vice-versa

- References compatible with 1st generation devices are indicated by a blue square : ■
- References compatible with 2nd and 3rd generation devices are indicated by a grey square : □

3RD GENERATION

piezotome
cube



2ND GENERATION



piezotome 2

PIEZOTOME
SOLO

implant center 2

1ST GENERATION



PIEZOTOME
Piezo • Ultrasonic • Surgery • Unit

IMPLANTCENTER
Piezo • Ultrasonic • Surgery & Implantology Unit

POWERFULLY RESPONSIVE, MINIMALLY INVASIVE

piezotome cube

- Socket preservation⁽¹⁾
- Safe for soft tissues
- Recommended for immediate implant placement
- No force needed
- 50% less pain & swelling⁽²⁾
- 98% less analgesics intake⁽³⁾



Piezotome® Cube⁽¹⁾ with Essential II kit

6.790,50 € F50100 ■

with a multifunction footswitch, a CUBE LED handpiece, 1 handpiece holder, an Essential II kit (BS1S II, BS4 II, SL1 II, SL2 II, SL3 II and LC2 II), a Piezotome® autoclave dynamometric wrench, 1 bracket, 2 sterilizable irrigation lines(2), 5 clips and 15 perforators.

(1) Kleiber J. Immediate extraction placement and loading in the aesthetic zone. Implant Dentistry Today. 2013 Jan;7-13

(2) Shanghai Kou QiangYi Xue. Comparative study of complications among routine method, high speed turbine handpiece and piezosurgery device after extraction of impacted wisdom teeth. Shanghai Journal of Stomatology. 2012 Apr;21(2):208-10.

(3) Troedhan A, Kurrek A, Wainwright M. Ultrasonic Piezotome surgery: is it a benefit for our patients and does it extend surgery time? A retrospective comparative study on the removal of 100 impacted mandibular 3rdmolars. Open Journal of Stomatology. 2011;1:179-184

Accessories



CUBE LED handpiece
Compatible with 2nd generation piezo tips

1.114,20 € F12816 ■



Multifunction footswitch

732,20 € F50109



Handpiece holder

46,10 € F50133



Piezotome® autoclavable dynamometric wrench

144,90 € F50150



Irrigation line clips x10

29,60 € F50116



Bracket for Piezotome® Cube

53,80 € F50129



Light ring
CUBE LED handpiece

70,30 € F12828



**Piezotome® Cube
& Tips catalog**



Around Piezotome® Cube video

(1) Intraoperative ultrasonic control console

Class IIa medical devices (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(2) Irrigation set - Class Ia medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

implant center 2



Functions

- I-Surge™: Rotative Surgery Motor
- Piezotome®: Piezo electric surgery
- Newtron®: Conventional ultrasound treatment
(Scaling, perio, endo, apical surgery,...)

ImplantCenter™ 2⁽¹⁾

12.714,90 € F27200 ■

with a LED motor, a LED motor cord, a progressive footswitch, 2 brackets, 2 handpiece holders, 2 autoclavable irrigation lines⁽²⁾ and 30 perforators.

This reference does not include the Piezotome® 2 handpiece and tips.

(1) Ultrasonic control console for conventional dentistry and intraoral dentistry and motor control console for dental implantology
Class IIa medical devices (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(2) Irrigation set - Class Ia medical device (GMED) - CE 0120 - Manufacturer: Bien Air - Distributor: SATELEC® ACTEON® Group - France

This system is designed exclusively for dental surgery and implant procedures performed at a dental practice. The use of the device in a hospital or clinic operating theatre constitutes a use that is excluded from the device's regulatory framework. ACTEON® offers a medical range suitable for use in the operating room. Do not hesitate to consult us for more information.

Accessories



ImplantCenter™ progressive footswitch

1.098,80 € F27120 ■



ImplantCenter™ 2 progressive footswitch

966,00 € F27170 ■



Support for motor or handpiece

39,50 € F02463 ■



Bracket

43,90 € E27113 ■



I-Surge™ LED light micro-motor⁽¹⁾

1.519,20 € F27210 ■



Disconnectable I-Surge™ LED micro-motor cord

782,70 € F27211 ■



20:1 Bien-Air* LED contra-angle⁽²⁾
green ring

1.792,60 € F36132 ■



I-Surge™ micro-motor⁽¹⁾

1.260,20 € F27123 ■



Disconnectable I-Surge™ micro-motor cord

696,00 € F27124 ■



Disconnectable I-Surge™ micro-motor cord + micro-motor

1.969,30 € F34450 ■



Mont Blanc 20:1 Anthogyr*
contra-angle⁽³⁾ green ring (non LED)

1.332,60 € F36140 ■



Atomizer dropper
for Mont Blanc 20:1 Anthogyr*
contra-angle

53,90 € F36141 ■

* Bien-Air and Anthogyr are registered trademarks

(1) Class IIa medical devices (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(2) Class IIa medical device - CE 0120 - Manufacturer: Bien Air - Distributor: SATELEC® ACTEON® Group - France

(3) Class IIa medical device (GMED) - CE 0459 - Manufacturer: Anthogyr - Distributor: SATELEC® ACTEON® Group - France

Accessories

The handpieces are equipped with keyway systems to prevent a Piezotome® tip (Bone Surgery, Sinus Lift, Extraction, etc.) from being screwed onto a Newtron® handpiece or a classic tip (scaling, periodontics, endodontics, etc.) from being screwed onto a Piezotome® handpiece.



Piezotome® handpiece⁽¹⁾ + cord 1.164,70 € F57321



Piezotome® LED handpiece⁽¹⁾ + cord 1.142,20 € F12815




Piezotome® Solo handpiece⁽¹⁾ + cord 1.071,40 € F57509



Newtron® handpiece⁽²⁾ 478,60 € F12281



Newtron® LED handpiece⁽²⁾ 669,60 € F12609



Newtron® cord 844,10 € F57305



Newtron® LED cord 844,10 € F12830



Light ring 61,50 € F12821



Piezotome® autoclavable dynamometric wrench 144,90 € F50150



Bracket 43,90 € E27113



ImplantCenter™ cart
dimensions (DxWxH) : 66 x 54 x 79cm
3 glass trays: 60 x 50cm
connections for water and electricity

1.292,40 € F27125



Piezotome® 2 pack⁽¹⁾ (without tip)
with an autoclavable Piezotome® 2 handpiece with cord and a Piezotome® wrench

1.857,30 € F87523



Sterilization box

444,60 € F27156



Universal irrigation lines⁽²⁾ Sterile x10
single-use with integrated cassette and flow control system

130,60 € F59905



Autoclavable irrigation line⁽²⁾ x1
+ 10 sterile perforators⁽³⁾

109,80 € F57374



Autoclavable irrigation line⁽²⁾ x1

84,50 € E59920



Disposable sterile perforators⁽³⁾ x10

35,10 € F57372



Irrigation line clip

220,00 € E57353



Piezotome® 2 progressive footswitch

957,20 € F57404



**Piezotome® Solo and
Piezotome® Solo LED footswitch**

923,20 € F57404

(1) Intraoral surgery ultrasonic handpieces - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(2) Dental ultrasonic handpieces - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(3) Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(2) Irrigation set - Class IIs medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(3) Class IIs medical devices (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

Bone surgery


Bone Surgery pack

with an autoclavable Piezotome® handpiece with cord, a Bone Surgery II kit and a Piezotome® autoclave dynamometric wrench

2.475,40 € F87500 ■


Bone Surgery II kit

with BS1S II, BS2L II, BS2R II, BS4 II, BS5 II, BS6 II tips, an autoclavable metal support, an autoclavable universal wrench

1.350,20 € F87509 ■

Bone Surgery II kit support

76,80 € X88456 ■

Saws

BS2L II - Left-angled

197,60 € F87502 ■


BS2R II - Right-angled

197,60 € F87503 ■

BS1S II "Slim" - Depth of cut 9mm

197,60 € F87525 ■

BS1L II "Long" - Depth of cut 15mm with universal wrench

218,40 € F87527 ■

BS1RD II - Rounded saw, 280° of active surface

197,60 € F87557 ■

Scrapers

BS4 II

197,60 € F87504 ■

BS5 II

197,60 € F87505 ■

BS6 II

197,60 € F87506 ■

Sinus lift


Sinus Lift pack

with a sterilization box, an autoclavable Piezotome® handpiece with cord, a Sinus Lift II kit and a Piezotome® autoclavable dynamometric wrench

2.475,40 € F87510 ■


Sinus Lift II kit

with SL1 II, SL2 II, SL3 II, SL4 II, SL5 II tips, an autoclavable metal support, an autoclavable universal wrench

777,20 € F87519 ■


Sinus Lift II kit support

76,80 € X88457 ■


SL1 II

141,60 € F87511 ■

SL2 II

141,60 € F87512 ■

SL3 II

141,60 € F87513 ■

SL4 II

141,60 € F87514 ■

SL5 II

141,60 € F87515 ■



Intralift


Intralift™ pack


with a sterilization box, an autoclavable Piezotome® handpiece with cord, an Intralift II kit, an autoclavable universal wrench

2.397,40 € F87530 ■


Intralift™ II kit

with TKW1 II, TKW2 II, TKW3 II, TKW4 II, TKW5 II tips, an autoclavable metal support, an autoclavable universal wrench

1.350,20 € F87536 ■


Intralift™ II kit support

76,80 € X88458 ■

TKW1 II - Conical tip Ø1.35mm (pilot drilling)

208,60 € F87531 ■

TKW2 II - Cylindrical tip Ø2.1mm (preliminary drilling)

208,60 € F87532 ■

TKW3 II - Cylindrical tip Ø2.35mm (preliminary drilling)

208,60 € F87533 ■

TKW4 II - Cylindrical tip Ø2.8mm (secondary drilling)

208,60 € F87534 ■

TKW5 II - Non cutting "trumpet" tip (sinus membrane elevation)

208,60 € F87535 ■

Extraction


Extraction pack

with a sterilization box, an autoclavable Piezotome® handpiece with cord, an Extraction II kit and a Piezotome® autoclavable dynamometric wrench

2.082,40 € F87540 ■


Extraction II kit

with LC1 II, LC2 II (x2), LC2L II, LC2R II, Ninja® II tips, an autoclavable metal support, an autoclavable universal wrench

1.002,20 € F87546 ■


Extraction II kit support

76,80 € X88459 ■



LC1 II

143,80 € F87507 ■



LC2 II

143,80 € F87542 ■



LC2L II

143,80 € F87543 ■



LC2R II

143,80 € F87544 ■



Ninja® II

196,50 € F87545 ■



Crown extension


Crown Extension pack

with a sterilization box, an autoclavable Piezotome® handpiece with cord, a Crown Extension II kit and a Piezotome® autoclavable dynamometric wrench

1.598,30 € F87550 ■


Crown Extension II kit

with BS6 II, CE1 II, CE2 II, CE3 II tips, an autoclavable metal support, an autoclavable universal wrench

653,10 € F87554 ■


**CE1 - Diamond-coated spherical tip
Ø1.75mm**

141,60 € F87551 ■


**CE2 - Diamond-coated spherical tip
Ø1.20mm**

141,60 € F87552 ■


**CE3 - Diamond-coated straight tip on
5mm (laser mark placed at 3mm:
biologic width)**

141,60 € F87553 ■


BS6 II

197,60 € F87506 ■

Crest splitting


Crest Splitting pack

with a sterilization box, an autoclavable Piezotome® LED handpiece with cord, a Crest Splitting II kit and a Piezotome® autoclavable dynamometric wrench

2.014,30 € F87560 ■


Crest Splitting II kit

with CS1 II, CS2 II, CS3 II, CS4 II, CS5 II, CS6 II tips, an autoclavable metal support, an autoclavable universal wrench

889,20 € F87567 ■


Crest Splitting II kit support

76,80 € X88464 ■


CS1 II

141,60 € F87561 ■


CS2 II

141,60 € F87562 ■

CS3 II

141,60 € F87563 ■

CS4 II

141,60 € F87564 ■

CS5 II

186,60 € F87565 ■

CS6 II

186,60 € F87566 ■



Piezocision™

Piezocision™ pack

with a sterilization box, an autoclavable Piezotome® LED handpiece with cord, a Piezocision™ II kit and an autoclavable universal wrench



1.733,30 € F87570 ■

Piezocision™ II kit

with PZ1 II, PZ2L II, PZ3R II, PZ3 II tips, an autoclavable metal support and an autoclavable universal wrench

777,20 € F87576 ■



Piezocision™ II kit support

76,80 € X88472 ■

PZ1 II - Anterior corticotomies

196,50 € F87571 ■



PZ2L II - (left oriented)

Lateral corticotomies on patient's right vestibular arch
To be used with pendulum motion

196,50 € F87572 ■

PZ2R II - (right oriented)

Lateral corticotomies on patient's left vestibular arch
To be used with pendulum motion

196,50 € F87573 ■

PZ3 II - Anterior corticotomies for root proximity concerns

196,50 € F87574 ■

Other packs & kits



Essential pack

with a sterilization box, an autoclavable Piezotome® 2 handpiece with cord and an Essential II Kit and a Piezotome® autoclavable dynamometric wrench

2.194,30 € F87529 ■



Essential II kit

with BS1S II, BS4 II, SL1 II, SL2 II, SL3 II, LC2 II tips, an autoclavable metal support, an autoclavable universal wrench


1.350,20 € F87528 ■



Newtron® perio pack

with a sterilization box, an autoclavable Newtron® handpiece, an autoclavable Newtron® cord, a Newtron® Perio kit and a Piezotome® autoclavable dynamometric wrench

2.082,40 € F87520 ■



Newtron® pack (without tip)

with a sterilization box, an autoclavable Newtron® LED handpiece, an autoclavable LED cord and a Piezotome® autoclavable dynamometric wrench

1.744,30 € F87524 ■



Newtron® Implant Protect Kit

with IP1, IP2L, IP2R, IP3L and IP3R tips, an autoclavable metal support, an autoclavable universal wrench

574,10 € F02120 ■



Newtron® kit support

76,80 € X88451 ■

Important

Newtron® kits are compatible with the Newtron® and Newtron® LED handpieces

servotome



High frequency electrosurge or orthodontics, periodontics and other oral surgery

Servotome® II

1.485,20 € **F57210**

with a single footswitch, a box with 10 electrodes, a conductive bracelet.

Intraoperative electrosurgery control console - Class IIb medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

Accessories



Conductive bracelet **211,90 €** **F57226**



Electrode holder⁽¹⁾ **253,60 €** **F00476**



Electrode holder cord (2m) **51,60 €** **F00475**



Servotome® II footswitch **130,60 €** **F00059**

Electrodes



10 electrodes kit **462,10 €** **F10440**



I 22 S **56,00 €** **F10421**



I 22 CA **56,00 €** **F10422**



TR 22L **56,00 €** **F10424**



TR 22 R **56,00 €** **F10425**



TR 22 T **56,00 €** **F10427**



FC 25 B **56,00 €** **F10428**



FC 32 B **56,00 €** **F10429**



FC 10 N **56,00 €** **F10430**



I 40 S **56,00 €** **F10431**



I 40 CA **56,00 €** **F10432**

ULTRASONICS

.....



EVERYDAY, FOR EVERY CLINICAL SITUATION

PRECISION

Precise treatments thanks to the controlled linear vibrations

PRESERVATION

Tissue preservation with the automatic and continuous frequency adjustment



**newtron
p5XS**



**newtron
p5 b-led**

COMFORT

Comfort for the patient and practitioner thanks to the real time power adjustment



**newtron
booster**

A large range of tips meeting all the clinical needs

The widest range on the market with **80 different tips**; with exclusive designs, alloys and coatings for clinical versatility.

Exclusive tips in Pure Titanium for implant cleaning.

PERIODONTICS



IMPLANT CARE



ENDODONTICS




SURGICAL ENDODONTICS



PROPHYLAXIS



CONSERVATIVE AND RESTORATIVE DENTISTRY




Newtron® range & Tips catalog



Scaling TipCard
Tip wear guide for scaling tips



Perio TipCard
Tip wear guide for periodontal tips



newtron p5XSb-led



Newtron® P5XS B.LED

1.890,30 € F62100

with a non-disconnectable footswitch, a power supply, a Newtron® SLIM B.LED handpiece cord, a Newtron® SLIM B.LED handpiece with a blue ring, a Newtron® SLIM B.LED white LED ring, a F.L.A.G™ for B.LED (5x 1.5ml) dental plaque discloser, an autoclavable universal wrench, 3 tips (N°1, N°1S, N°H3) and a 300ml tank

Dental ultrasonic control console - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France



Important

Handpieces compatible with all ACTEON® Equipment Dental Tips (with color coded ring: Color Coding System™)



newtron p5b-led



Newtron® P5 B.LED

1.553,30 € F61101

with a non-disconnectable footswitch, a power supply, a Newtron® SLIM B.LED handpiece cord, a Newtron® SLIM B.LED handpiece with a blue ring, a Newtron® SLIM B.LED white LED ring, a F.L.A.G™ for B.LED (5x 1.5ml) dental plaque discloser, a N°1 tip and an autoclavable universal wrench

Dental ultrasonic control console - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France



Important

Handpieces compatible with all ACTEON® Equipment Dental Tips (with color coded ring: Color Coding System™)



newtron booster

Newtron® Booster

1.238,20 € F60203


with a Newtron® non-disconnectable footswitch, a power supply, a Newtron® handpiece cord, a Newtron® handpiece, a N°1 tip and an autoclavable universal wrench

Dental ultrasonic control console - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France



Important

Handpieces compatible with all ACTEON® Equipment Dental Tips
(with color coded ring: Color Coding System™)



newtron p5XS

Newtron® P5 XS

1.665,20 € F62111

with a Newtron® non-disconnectable footswitch, a power supply, a Newtron® handpiece cord, a Newtron® handpiece, a N°3 tip (N.1-1S-10Z) and an autoclavable universal wrench

Dental ultrasonic control console - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France



Important

Handpieces compatible with all ACTEON® Equipment Dental Tips
(with color coded ring: Color Coding System™)



Tips

scaling



N°1 - Universal **86,70 €** **F00246**



N°2 - High power **86,70 €** **F00247**

N°3 - Removing stains **86,70 €** **F00248**

10P - Supra and sub-gingival < 3mm **86,70 €** **F00253**



10X - Interproximal **99,90 €** **F00359**

10Z - Subgingival **99,90 €** **F00254**

N°1S - Supra and sub-gingival **86,70 €** **F00245**

periofine



PFU - Universal **133,90 €** **F02170**



PFL - Left-angled **133,90 €** **F02171**

PFR - Right-angled **133,90 €** **F02172**

Tips

periodontics

Curettes & debridement



H1 - Anterior teeth, diamond-coated **99,90 €** **F00366**

H2L - Premolars & molars, left-angled **99,90 €** **F00367**

H2R - Premolars & molars, right-angled **99,90 €** **F00368**




H3 - Anterior teeth, curette **99,90 €** **F00369**

H4L - Premolars & molars, left-angled **99,90 €** **F00114**

H4R - Premolars & molars, right-angled **99,90 €** **F00115**

implantprotect pure titanium

Peri-implantitis treatment



IP1 - Implant abutments and wide threads **99,90 €** **F02121**

IP2L - Medium implant threads, left-angled **157,00 €** **F02122**


IP2R - Medium implant threads, right-angled **157,00 €** **F02123**

IP3L - Narrow implant threads, left-angled **157,00 €** **F02124**

IP3R - Narrow implant threads, right-angled **157,00 €** **F02125**

Tips

perio maintenance BDR



Periodontal maintenance



TK1-1S - Short probe 133,90 € F01001

TK1-1L - Long probe 133,90 € F01004



TK2-1L - Premolars & molars, left-angled 133,90 € F02162

TK2-1R - Premolars & molars, right-angled 133,90 € F02161

periosoft

implant maintenance



PH1 - Anterior teeth (x4) 133,90 € F00702

PH2L - Premolars & molars, left-angled (x4) 133,90 € F00705

PH2R - Premolars & molars, right-angled (x4) 133,90 € F00706

perio precision



P2L - Narrow pockets debridement, left-angled 133,90 € F00090

P2R - Narrow pockets debridement, right-angled 133,90 € F00091

Tips

endodontics



Endodontics - Irrigation



K10-21 - Ø 0.1/length 21mm (x4) 56,00 € F43710



K10-25 - Ø 0.1/length 25mm (x4) 56,00 € F43712



K15-21 - Ø 0.15/length 21mm (x4) 56,00 € F43715



K15-25 - Ø 0.15/length 25mm (x4) 56,00 € F43717



K25-21 - Ø 0.25/length 21mm (x4) 56,00 € F43725



K25-25 - Ø 0.25/length 25mm (x4) 56,00 € F43727



K30-21 - Ø 0.30/length 21mm (x4) 56,00 € F43730




K30-25 - Ø 0.30/length 25mm (x4) 56,00 € F43732



irrisafe

Passive Ultrasonic Irrigation



IRR 20-21 - Ø 0.2/length 21mm (x4) 112,00 € F43807



IRR 20-25 - Ø 0.2/length 25mm (x4) 112,00 € F43808



IRR 25-21 - Ø 0.25/length 21mm (x4) 112,00 € F43805



IRR 25-25 - Ø 0.25/length 25mm (x4) 112,00 € F43806

Tips

endosurgery

Apical surgery



| | | |
|-------------------------|----------|--------|
| P14D - Universal | 133,90 € | F00106 |
| S12-70D - 70° Universal | 133,90 € | F00118 |
| P15LD - Left-angled | 133,90 € | F00107 |
| P15RD - Right-angled | 133,90 € | F00108 |

endodontics


Retreatment



| | | |
|-------------------------------------|----------|--------|
| ET40 - Length 40mm | 108,70 € | F88012 |
| ET40D - Length 40mm, diamond-coated | 108,70 € | F88014 |
| ET20D - Length 20mm, diamond-coated | 108,70 € | F88013 |
| SO4 - Gutta Percha condenser | 133,90 € | F88009 |

Tips

endosuccess apical surgery



| | | |
|---|----------|--------|
| AS3D - Universal, Length 3mm | 133,90 € | F00065 |
| AS6D - Length 6mm | 133,90 € | F00079 |
| AS9D - Length 9mm | 133,90 € | F00067 |
| ASLD - Length 3mm, left-angled (premolars) | 133,90 € | F00080 |
| ASRD - Length 3mm, right-angled (premolars) | 133,90 € | F00081 |

endosuccess retreatment



| | | |
|---------------------------------|----------|--------|
| ET18D - Cavity access finishing | 108,70 € | F88017 |
| ETBD - Exploration | 108,70 € | F88020 |
| ET25S - Short Ti-Nb tip | 108,70 € | F88021 |
| ET25 - Ti-Nb tip | 108,70 € | F88018 |
| ET25L - Long Ti-Nb tip | 108,70 € | F88022 |
| ET20 - Universal | 108,70 € | F88011 |
| ETPR - Loosening | 133,90 € | F88019 |

Tips

endosuccess
canal access prep

CAP1 - Cavity preparation 133,90 € F88181

CAP2 - Canal localization 133,90 € F88182

CAP3 - Canal opening 133,90 € F88183

perfect margin
rounded

Prosthetic finishing (rounded)

PM1 - Preparation of the dentin 99,90 € F02250

PM2 - Preparation/finishing 99,90 € F02251

PM3 - Finishing 99,90 € F02252

**PM4 - Corono-radicular preparation,
conical, diamond-coated 46µm** 99,90 € F02253

Tips

Prosthesis



C20 - Inlay/onlay condensation 99,90 € F00113

Piezocem caps x10 65,90 € F00397

5AE - Loosening with spray 114,20 € F00249

Tip kits


Scaling kit

with an autoclavable plastic box, N°1, N°1S, N°10X, H3 tips, four autoclavable dynamometric Newtron® wrenches

453,40 € F00934


Hygiene kit

with an autoclavable plastic box, N°1, N°1S, 10Z, TK1-1S tips, four autoclavable dynamometric Newtron® wrenches

453,40 € F00935


Perio kit

with an autoclavable plastic box, N°1S, H3, H4L, H4R tips, four autoclavable dynamometric Newtron® wrenches

453,40 € F00936


PerioPrecision kit

with an autoclavable plastic box, P2L, P2R, TK1-1S tips and three autoclavable dynamometric Newtron® wrenches

453,40 € F00939


Perio Maintenance kit (BDR)

with an autoclavable plastic box, TK1-1S, TK1-1L, TK2-1L, TK2-1R tips, four autoclavable dynamometric Newtron® wrenches

453,40 € F00937



Tip kits


Implant Protect kit

with IP1, IP2L, IP2R, IP3L and IP3R tips, an autoclavable metal support and an autoclavable universal wrench

574,10 € F02120


Endo One kit

with CAP1, CAP2, CAP3, ET25, ETPR tips, 1 blister of 4 IrriSafe™ 25-21mm tips, an autoclavable metal support and an autoclavable universal wrench

585,10 € F00732


Endo Success™ Retreatment kit

with ET18D, ET20, ET25, ET25S, ETBD, ETPR tips, an autoclavable metal support and an autoclavable universal wrench

597,20 € F00737


Perfect Margin® Rounded kit

with PM1, PM2, PM3, PM4 tips, an autoclavable metal support and an autoclavable universal wrench

328,20 € F00738


Hygiene kit PLUS

with an autoclavable plastic box, three autoclavable dynamometric Newtron® wrenches and a Newtron® handpiece

834,30 € F00940



Tip kits



Endo Success™ Canal Access Prep kit
with CAP1, CAP2, CAP3 tips,
an autoclavable metal support and
an autoclavable universal wrench

337,00 € F88180



Endo Success™ Apical Surgery kit
with AS3D, AS6D, AS9D, ASLD, ASRD
tips, an autoclavable metal support and
an autoclavable universal wrench

649,90 € F00069



Boxes & Supports



Autoclavable plastic box
with 4 autoclavable dynamometric
Newtron® wrenches

194,30 € F12352



Autoclavable plastic box
for autoclavable dynamometric wrenches

72,40 € F12351



Newtron® kit support

76,80 € X88451

Endo Success™ kit support

76,80 € X88447

Perfect Margin™ kit support

76,80 € X88448

Wrenches



Newtron® wrench
autoclavable and dynamometric

47,20 € F81330



Universal wrench

23,10 € F00406



Protec-Tip

15,40 € F81281

Important

The Newtron® wrench is used with all blue, green and orange tips and with surgical endodontics tips (yellow): AS3D, AS6D, AS9D, ASLD, ASRD, S12-70D, P14D, P15LD and P15RD.
For other tips with yellow ring, the universal wrench (Ref. F00406) is recommended.

Accessories



Newtron® handpiece⁽¹⁾
without LED, autoclavable, light grey/dark grey for Newtron® Booster

478,60 € F12281



Newtron® SLIM handpiece⁽¹⁾
without LED for Newtron® P5

732,20 € F12901



Newtron® SLIM B.LED handpiece⁽¹⁾
for Newtron® P5 B.LED and
Newtron® P5 XS B.LED (Bluetooth)
with blue LED ring
with white LED ring

732,20 € F12900

732,20 € F12905



Nose for Newtron® handpiece

7,70 € F12284



Nose for Newtron® SLIM and
Newtron® SLIM B.LED handpieces

12,10 € E12904




Newtron® SLIM B.LED blue LED ring

56,00 € F62201



Newtron® SLIM B.LED white LED ring

56,00 € F12915



Handpiece holder
silicone

8,80 € E60108



Important

Handpieces compatible with all ACTEON® Equipment Dental Tips
(with color coded ring: Color Coding System™)



Newtron® Booster,
Newtron® P5,
Newtron® P5 B.LED,
Newtron® P5 XS B.LED,
Newtron® P5 XS B.LED Bluetooth



Newtron® handpiece cord
non-disconnectable for Newtron® Booster

112,00 € X00244



White handpiece cord
for P5 Newtron® XS

81,20 € F00222



Newtron® SLIM B.LED handpiece cord
non-disconnectable for
Newtron® P5 B.LED and
Newtron® P5XS B.LED (Bluetooth)

169,00 € X00226



Non-disconnectable footswitch
for Newtron® BOOSTER, Newtron® P5,
Newtron® P5 B.LED and
Newtron® P5XS B.LED (Bluetooth)

64,80 € F00061



Dental plaque discloser
F.L.A.G.™ for B.LED 5 x 1.5ml

45,00 € F62200



Dental plaque discloser
F.L.A.G.™ for B.LED 100ml

94,40 € F62203



300ml tank
for Newtron® P5 B.LED and
Newtron® P5XS B.LED (Bluetooth)

101,00 € F62004



500ml tank
for Newtron® P5 B.LED and
Newtron® P5XS B.LED (Bluetooth)

104,30 € F62005

Accessories



Important

Handpieces compatible with all ACTEON® Equipment Dental Tips (with color coded ring: Color Coding System™)



| | | |
|---|----------|--------|
| Newtron® handpiece⁽¹⁾ without LED, autoclavable, light grey/dark grey for Newtron® Booster | 478,60 € | F12281 |
|---|----------|--------|



| | | |
|--|----------|--------|
| Newtron® LED handpiece⁽¹⁾ autoclavable for P-Max Newtron® XS, P5 Newtron® LED and P5 Newtron® XS LED | 669,60 € | F12609 |
|--|----------|--------|



| | | |
|------------------------------------|--------|--------|
| Nose for Newtron® handpiece | 7,70 € | F12284 |
|------------------------------------|--------|--------|



| | | |
|--|---------|--------|
| Nose for Newtron® LED handpiece | 18,70 € | E12681 |
|--|---------|--------|



| | | |
|--|----------|--------|
| Metal nose for Newtron® LED handpiece | 262,40 € | F12675 |
|--|----------|--------|



| | | |
|---|---------|--------|
| Light ring for Newtron® LED handpiece | 61,50 € | F12605 |
|---|---------|--------|



| | | |
|--|---------|--------|
| Non-disconnectable footswitch for P5 Newtron®, P5 Newtron® LED, P5 Newtron® XS, P5 Newtron® XS LED | 64,80 € | F00061 |
|--|---------|--------|



| | | |
|--|----------|--------|
| Universal irrigation lines⁽¹⁾ Sterile x10 single-use with integrated cassette and flow control system. For Sterikit and Sterikit LED | 130,60 € | F59905 |
|--|----------|--------|



| | | |
|----------------------|--------|--------|
| Pump cassette | 7,70 € | E58543 |
|----------------------|--------|--------|



| | | |
|--|--------|--------|
| O ring large for Newtron® handpiece | 2,20 € | E15019 |
|--|--------|--------|



| | | |
|--|--------|--------|
| O ring small for Newtron® handpiece | 2,20 € | E15052 |
|--|--------|--------|



P5 Newtron®,
P5 Newtron® LED,
P5 Newtron® XS,
P5 Newtron® XS LED,
P-MAX Newtron® XS,
Prophy Max™



| | | |
|--|---------|--------|
| White handpiece cord for P5 Newtron® | 92,20 € | F00223 |
|--|---------|--------|



| | | |
|---|---------|--------|
| White handpiece cord for P5 Newtron® XS | 81,20 € | F00222 |
|---|---------|--------|



| | | |
|---|----------|--------|
| LED handpiece cord for P5 Newtron® LED and P5 Newtron® XS LED | 149,30 € | F00637 |
|---|----------|--------|



| | | |
|---|----------|--------|
| Disconnectable LED handpiece cord for P-Max Newtron® XS | 164,70 € | F00628 |
|---|----------|--------|



| | | |
|---|----------|--------|
| Newtron® handpiece cord white, with spray adjustment for Prophy-Max™ | 154,80 € | F01176 |
|---|----------|--------|



| | | |
|---------------------------------|---------|--------|
| Tank with white cover | 98,80 € | F58525 |
|---------------------------------|---------|--------|



| | | |
|---|----------|--------|
| Sterikit for P5 Newtron® XS with a support, a bracket, a pump cover, 5 clips, a Sterijoint and 3 sterile universal irrigation lines ⁽¹⁾ | 400,70 € | F58136 |
|---|----------|--------|



| | | |
|---|----------|--------|
| Sterikit LED for P5 Newtron® XS LED with a support, a bracket, a pump cover, 5 clips, a LED Sterijoint and 3 sterile universal irrigation lines ⁽¹⁾ | 472,00 € | F58225 |
|---|----------|--------|



| | | |
|--|----------|--------|
| Sterijoint adapter for Newtron® handpiece for Sterikit | 219,15 € | F58703 |
|--|----------|--------|



| | | |
|--|----------|--------|
| Sterijoint LED adapter for Newtron® LED handpiece for Sterikit LED | 219,15 € | F12640 |
|--|----------|--------|

Accessories



Newtron® handpiece⁽¹⁾
without LED, autoclavable, light grey/dark grey for Newtron® Booster

478,60 € F12281



Nose for Newtron® handpiece 7,70 € F12284



Newtron® Cart
Color: white

Two connections for water and electricity.
Dimensions (DxWxH): 48 x 40 x 77cm
3 glass trays: 42 x 36cm

990 € F03739



Important

Handpieces compatible with all ACTEON® Equipment Dental Tips
(with color coded ring: Color Coding System™)



P5 Newtron® blue,
P5 Newtron® XS blue,
P-Max Newtron®,
P-Max Newtron® Lux,
Prophy Max™ blue,
Prophy Max™ Lux



Newtron® double-lines⁽¹⁾ kit x10
for P-Max Newtron® (Lux) and
Prophy Max™ (Lux)

189,90 € F59752



Newtron® single-lines⁽¹⁾ kit x10
For P-Max Newtron® (Lux) and
Prophy Max™ (Lux)

157,00 € F59756



Kit of 3 hoops
for Newtron® cord

97,70 € F59761



Newtron® single footswitch

73,50 € F00054



Newtron® double footswitch

221,70 € F00055



Steel water filter 60μ complete

64,10 € F10386



Water filter 60μ cartridge + o'ring

15,20 € F10389



Devices

- 1 - Suprasson P-Max (Lux) Assortment I
- 2 - Prophy Max™ (Lux) Assortment I
- 3 - P5 Newton® XS (LED) + Sterikit
- 4 - Suni 2nd generation
- 5 - Suni Max
- 6 - Trans'care Max

Devices

- 1 - Suprasson P-Max (Lux) Assortment I
- 2 - Prophy Max™ (Lux) Assortment I
- 3 - P5 Newton® XS (LED) + Sterikit
- 4 - Suni 2nd generation
- 5 - Suni Max
- 6 - Trans'care Max

Corresponding lines

Corresponding lines

Designation

Designation

REF.

REF.

F59905

Universal irrigation lines⁽¹⁾ sterile x10
single-use with integrated cassette and flow control system

Autoclavable irrigation lines⁽¹⁾ x1
+ 10 sterile perforators⁽²⁾

F57374

Autoclavable irrigation lines⁽¹⁾ x1

E59920

Disposable sterile perforators⁽²⁾ x10

F57372

Newtron® double-lines⁽¹⁾ kit x10

F59752

Newtron® single-lines⁽¹⁾ kit x10

F59756

Suni irrigation lines⁽¹⁾ kit x5

F34700

Suni irrigation lines⁽¹⁾ kit x10

F34702

Irrigation lines⁽¹⁾ x10

F28750

(1) Irrigation set - Class Ia medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

(2) Class Ia medical devices (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

POLISHERS

.....



ALL-IN-ONE FOR EASY PROCEDURES

**air-n-go
easy**



All-in-one airpolisher for easy procedures

- Supra and sub-gingival use
- Optimal space
- Ready to use

AIR-N-GO® easy with KaVo® adapter

1.209,70 € F10100

AIR-N-GO® easy with Sirona® adapter

1.209,70 € F10101

AIR-N-GO® easy with W&H® adapter

1.209,70 € F10102

AIR-N-GO® easy with Bien-Air® adapter

1.209,70 € F10103

AIR-N-GO® easy with Midwest® adapter

1.209,70 € F10105

with a convertible AIR-N-GO® easy handpiece, a Supra nozzle, 1 AIR-N-GO® easy maintenance kit (replacement o'rings, syringe of silicone grease with brushes, cannula, cleaning drill)

Dental air-polishing handpiece - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

Accessories



AIR-N-GO® easy Perio kit⁽¹⁾
turns your handpiece into a Perio system
to treat periodontal disease (tooth &
implants) on pockets from 3 to 8mm.
with a AIR-N-GO® easy nozzle and a
bottle of AIR-N-GO® PERIO glycine
powder

608,10 € F10120



AIR-N-GO® Supra nozzle
for all prophylaxis supra-gingival
treatments

360,10 € F10125



AIR-N-GO® Perio easy nozzle
turns your handpiece into a Perio system
to treat non surgical periodontal disease
(tooth & implants) in pockets from 3 to
8mm

396,30 € F10126



AIR-N-GO® Perio nozzle
turns your handpiece into a Perio system
to treat non surgical periodontal disease
(tooth & implants) in pockets from 3 to
8mm

396,30 € F10127



AIR-N-GO® Perio Maintenance nozzle
turns your handpiece into a system
adapted for periodontal maintenance in
pockets until 4mm

360,10 € F10128



AIR-N-GO® easy maintenance kit 28,50 € F10121

Adapters



KaVo* Adapter

307,40 € F10240



Sirona* Adapter

362,20 € F10241



W&H* Adapter

273,30 € F10242



Bien-Air* Adapter

273,30 € F10243



Midwest* Adapter

169,00 € F10245

Accessories



AIR-N-GO® Supra nozzle

360,10 € F10125



AIR-N-GO® Supra nozzle

396,30 € F10127



AIR-N-GO® Perio tank

186,60 € F10216



AIR-N-GO® Supra probe Ø0.5mm

16,50 € F10207



AIR-N-GO® Supra probe Ø1mm

27,40 € F10208



AIR-N-GO® Perio probe

11,00 € F10206



AIR-N-GO® o'rings kit

67,00 € F10205



prophymax

Combined device with ultrasonics and airpolisher

ProphyMax™

4.160,00 €

F11610

with a ProphyPen handpiece with 135° titanium nozzle, an autoclavable universal wrench, a bottle of mint powder (250g) and a bottle of lemon powder (250g), an autoclavable Newtron® handpiece, a double footswitch

Dental polishing and ultrasonic control console
Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

Important

You will find all the information about ultrasonics accessories (tips, handpieces, etc)
on pages 106 to 113.



air max

Supra-gingival airpolisher

Air Max

2.720,00 €

F11400

with a ProphyPen handpiece with 135° titanium nozzle, an autoclavable universal wrench, a bottle of mint powder (250g) and a bottle of lemon powder (250g)

Dental polishing control console - Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

Accessories



Blue ProphyPen⁽¹⁾
Disconnectable polisher handpiece
(bayonet)
with a 135° titanium nozzle and an
autoclavable universal wrench

428,10 € F10554



White ProphyPen
Disconnectable polisher handpiece
(bayonet)
with a 135° titanium nozzle and an
autoclavable universal wrench

428,10 € F10557



Titanium nozzle 135° Ø0.7 mm

80,10 € F10555



Probe Ø0.7mm

16,50 € F10207



Probe Ø1mm

27,40 € F10208



Multifunctions double footswitch

192,10 € F00055



2 ProphyPen o'rings
+ 1 nozzle o'ring kit

7,70 € F10374

Powders



AIR-N-GO® "CLASSIC" powder⁽¹⁾
4 bottles (250g)

Peppermint 92,20 € F10250

Lemon 92,20 € F10251

Raspberry 92,20 € F10252

Cola 92,20 € F10253

Neutral 92,20 € F10254



AIR-N-GO® "CLASSIC" powder⁽¹⁾
4 flavors (peppermint, Lemon, Raspberry
and Cola)
4 bottles (250g)

92,20 € F10255

AIR-N-GO® "PERIO" powder⁽²⁾
3 bottles (160g)

141,60 € F10270

CURING LIGHT

.....



FAST CURING, LONG TERME RESULTS



miniled

A fast curing for aesthetics result

- Fast and powerful treatment
- Adapted to the act
- Long battery life



Ready to use

Powerful

Adaptable

Classic

miniled
active



Wavelength: 420 - 480nm

Power: 1492mW/cm²

Li-Ion battery

Handpieces: anodized aluminium

754,10 €

F05100

MiniLED™ Active

with a MiniLED™ handpiece, an universal power supply cord, a Ø7.5mm opalescent guide and an oval light shield

Dental curing light - Class I medical devices - CE - Manufacturer: SATELEC® ACTEON® Group - France

miniled supercharged

Wavelength: 420 - 480nm

Power: 2000mW/cm²

Li-Ion battery

Handpieces: anodized aluminium



MiniLED™ Supercharged

1.164,70 € F05214

with a MiniLED™ handpiece, a battery, a battery charger, a power supply + 4 plugs, a Ø7.5mm opalescent light guide and light shield

Dental curing light - Class I medical devices - CE - Manufacturer: SATELEC® ACTEON® Group - France

miniled ortho 2

Wavelength: 420 - 480nm

Power: 3000mW/cm²

Li-Ion battery

Handpieces: anodized aluminium



MiniLED™ Ortho 2

1.174,60 € F05220

with a MiniLED™ handpiece, a Ø5.5mm opalescent guide, a power supply + 4 plugs, a battery, a battery charger and an oval light shield

Dental curing light - Class I medical devices - CE - Manufacturer: SATELEC® ACTEON® Group - France

**miniled
standard**

Wavelength: 420 - 480nm

Power: 1250mW/cm²

Li-Ion battery

Handpieces: anodized aluminium



MiniLED™ Standard

923,20 € F02507

with a MiniLED™ handpiece, a battery, a battery charger, a power supply cord with european plug, a Ø7.5mm opalescent guide and an oval light shield

Dental curing light - Class I medical devices - CE - Manufacturer: SATELEC® ACTEON® Group - France

Accessories

MiniLED™ Supercharged handpiece⁽¹⁾

1.114,20 € F05217

MiniLED™ Ortho 2 handpiece⁽¹⁾

1.114,20 € F05219

MiniLED™ Standard handpiece⁽¹⁾

653,10 € F02530



Charger
for MiniLED™ Supercharged,
MiniLED™ Ortho2 and
MiniLED™ Autofocus2

478,60 € F02917

Charger for MiniLED™ MiniLED™ Standard

462,10 € F02510



Titanium battery
for MiniLED™ Supercharged,
MiniLED™ Ortho2 and
MiniLED™ Autofocus2

213,00 € F05211

Titanium battery for MiniLED™ Standard

174,50 € F02520



Oval light shield
for MiniLED™ Active, MiniLED Ortho2,
MiniLED™ Supercharged and
MiniLED™ Autofocus2

53,80 € F05407



Oval light shield
for MiniLED™ Standard

40,60 € F02555

Accessories



Universal power supply
for MiniLED™ Active **52,70 €** **F05120**



European power supply
for MiniLED™ Standard **92,20 €** **F02543**



Opalescent light guide Ø7.5mm
for MiniLED™ Active **163,60 €** **F05121**



Opalescent light guide Ø7.5mm
for MiniLED™ Standard, MiniLED™ Ortho2
and MiniLED™ Supercharged **148,20 €** **F02648**

Opalescent light guide Ø5.5mm
for MiniLED™ Standard, MiniLED™ Ortho2
and MiniLED™ Supercharged **148,20 €** **F02652**



Autoclavable caps Ø7.5mm x5
for MiniLED™ Standard, MiniLED™ Ortho2,
MiniLED™ Supercharged and
MiniLED™ Autofocus2 **42,80 €** **F61507**



Autoclavable caps Ø5.5mm x5
for MiniLED™ Standard, MiniLED™ Ortho2,
MiniLED™ Supercharged and
MiniLED™ Autofocus2 **42,80 €** **F61505**



Autoclavable caps Ø7.5mm x5
Autoclavable caps Ø5.5mm x5
for MiniLED™ Standard, MiniLED™ Ortho2,
MiniLED™ Supercharged and
MiniLED™ Autofocus2 **49,40 €** **F61515**

MISCELLANEOUS

.....



softly



Amalgamator

Pre-measured capsules amalgamator

External dimensions:

210 x 205 x 120mm (D x W x P)

Weight: 3.1kg

417,10 € 6.01.00112

Softly






ACTEON®
INSTRUMENTS

BLISS RANGE

.....





bliss

SUPERIOR COMFORT AT YOUR FINGERTIPS

The next generation of manual instrumentation

- Lightweight: 15g
- Unique "Soft Touch" grip
- Long lasting sharpness⁽¹⁾
- 100% approved by practitioners⁽²⁾

UNCONVENTIONALLY DURABLE AND SOLID

- High wear-resistance due to the stainless steel properties
- The metal is treated in accordance with the latest heating techniques

ENHANCED COMFORT THE FINAL GOAL

- High sharpness means less force
- Less force means less muscle fatigue
- Less force means comfortable scaling

Manual instrumentation video



TRUE ERGONOMICS

- 10mm: optimal handle diameter to reduce pinch force⁽³⁾
- 15g: ultra light to limit hand fatigue⁽³⁾

UNIQUE COMFORT

- Flat areas for the fingers, to avoid localized pressure
- Intrinsic tactile sensation



GENTLE AND CONFIDENT GRIP

- Effective «soft touch» non-slip surface
- Firm silicone with no spring effect for an accurate and controlled clinical gesture

REVOLUTIONARY COMFORT AT YOUR FINGERTIPS

39 instruments

- Diagnostic
- Restoration
- Periodontics
- Endodontics
- Prophylaxis



(1) The effects of periodontal instrument handle on hand muscle load and pinch force, D. Rempel; D. Lee; K. Dawson; P. Loomer; JADA 143(10) - October 2012.

(2) Internal field evaluation on 20 practitioners from 8 different countries. 100% answered that Bliss handle was comfortable.
(3) Rempel D, Lee D.L., Dawson K, Loomer P. The effects of periodontal curette handle weight and diameter on arm pain. JADA. 2012 Oct;143(10).

Kits

Every consultation starts with these 3 instruments

One end of the handle is flat to facilitate percussive diagnostics, allowing to evaluate the sensitivity and the mobility of the tooth and the sensitivity of the gum.



Diagnostic kit Bliss®

with an Easy Clip cassette, 1 EXP17-23,
1 College tweezers 15cm satin finishing
mirror handle SS + 1 PureReflect® mirror
mirror handle CSS + 1 PureReflect® mirror

402SS.SI
402CSS.SI



Care kit Bliss®

with an Easy Clip cassette, 1 EXP17-23,
1 CMS2, 1 College tweezers 15cm satin
finishing
mirror handle SS + 1 PureReflect® mirror
mirror handle CSS + 1 PureReflect® mirror

403SS.SI
403CSS.SI

The design is accurate and thin, ideal to draw furrows and cusps. The ergonomic and unique design of Bliss® handle offer comfort and precision of the clinical gesture.
This is essential for restoration work when modelling and sculpting the composite.



Restoration kit Bliss®

with an Easy Clip cassette, 1 EXP17-23,
1 CMS4, 1 CMS2, 1 BUR125,
1 EXC38-37, 1 EXC91, 1 College tweezers
15cm satin finishing
mirror handle SS + 1 PureReflect® mirror
mirror handle CSS + 1 PureReflect® mirror

404SS.SI
404CSS.SI

The high wear resistance combined with the optimal hardness of the metallic blade make the sharp instruments efficient and long-lasting.



Prophylaxis kit Bliss®

with an Easy Clip cassette, 1 UNC12,
1 M23, Gracey curettes 11-12 and 13-14,
1 H6-H7, 1 Columbia curette 13-14
mirror handle SS + 1 PureReflect® mirror
mirror handle CSS + 1 PureReflect® mirror

400SS.SI
400CSS.SI

It includes 11 manual instruments covering most of orthograde endodontic procedures and conservative dentistry: cleaning the cavity, obturation of the access cavity, reprocessing and restoration.



Endodontic kit Bliss®

with a cassette, 1 Self-Blocking tweezers,
1 CP15, 1 EX37-38, 1 EX91, 1 SP25,
1 CMS6, 1 Machtou 1-1, 1 Machtou 1-2,
1 Machtou 2-3, 1 Machtou 2-4, 1 endo files
holder
mirror handle SS + 1 PureReflect® mirror
mirror handle CSS + 1 PureReflect® mirror

401SS.SI
401CSS.SI

Gracey curettes



Gracey curette 1-2

402.01SI



Gracey curette 3-4

402.03SI



Gracey curette 5-6

402.05SI



Gracey curette 11-12

402.11SI



Gracey curette 13-14

402.13SI



Gracey curette 15-16

402.15SI



Gracey curette 17-18

402.17SI

Sickles



Sickle - M23

404.23SI



Sickle - H6-H7

406.07SI



Micro CK6

404.05SI

Universal curettes



Universal curette - Barnhart 5-6

408.05SI



Universal curette - Columbia 4L-4R

405.04SI



Universal curette - Columbia 13-14

405.13SI



Universal curette - Langer 5-6

406.06SI



Universal curette - Langer 5-6 mini

406.10SI

Dual ends



Dual End - H5-L5

406.05SI



Dual End - N128-L5

406.08SI



Dual End - N128-L5 mini

406.09SI

Diagnostics



EXP11-12 - Explorer

263.06SI

EXP17-23 - Explorer

263.07SI

Periodontics



UNC12 graduated 1 to 12mm - Expro

418.06SI

CP12 graduated 3-6-9-12mm - Expro

418.07SI

UNC15 graduated 1 to 15mm - Expro

418.08SI

CP12 graduated 3-6-9-12-15mm - Expro

418.09SI

Restoration



EXC36-35 - Excavator

165.01SI

EXC38-37 - Excavator

165.02SI

EXC91 - Excavator

165.03SI

BUR125 - Burnisher

108.14SI

CM1 - Modeling spatula

194.12SI

CM2 - Modeling spatula

194.13SI

CM3 L4/5.4mm - Modeling spatula

194.14SI

CM4 L4/5.6mm - Modeling spatula

194.15SI

CM5 L1.6/1.6mm - Modeling spatula

194.16SI

CM6 L1.6/1.6mm for molars - Modeling spatula

192.05SI

Restoration



SP20 20mm - Cement spatula

246.05SI

SP25 25mm - Cement spatula

246.09SI

SP42 42mm - Cement spatula

246.24SI

Endodontics



Machtou 1-1 - Plugger

419.01SI

Machtou 1-2 - Plugger

419.02SI

Machtou 2-3 - Plugger

419.03SI

Machtou 2-4 - Plugger

419.04SI

Mirror handle


Mirror handle EU stem*
Mirror handle CSS***210.00SI**
212.00SI

* mirror sold separately - Pure Reflect size 5: MP4624PH (CSS) - MP3624PH (EU Stem)



MIRROR RANGE

.....



PERFECT CLARITY, CRYSTAL-CLEAR VISION

MOUTH MIRRORS – FROM DIAGNOSTIC TO TREATMENT, THE BENEFIT TO ALL DENTAL CLINICAL ACTS



- Visual examination is the first step to diagnostics
- 10 different sizes
 - From 0 to 6 to work in the mouth
 - From 7 to 10 to clinical studies, photography

MICROMIRRORS – THE MICROSCOPIC PERFECTLY VISIBLE



- Make the access to the apex easier and appreciate the accurate vision of the pulp chamber.
- 4 different sizes

PHOTOGRAPHIC MIRRORS – EFFECTIVE COMMUNICATION WITH PATIENTS



- Highlight the dental treatment and restoration to promote the practice. Allow to take pictures of clinical cases for books, publications and patient records.
- 8 different sizes for occlusal, vestibular and lingual areas.

Our mirrors resist to more than 100 autoclave cleaning cycles*



Mirrors has to be replaced after **3 MONTHS** of daily use

Front surface

Cross-sectional view





Image reflected directly on the surface of the glass, distortion-free
NO DOUBLE IMAGE

Back surface


Cross-sectional view of an aluminium mirror



Reflecting surface under the glass
DOUBLE IMAGE



The finition of the frame also matters



Flat and ergonomic soldering

More comfortable for the patient while retracting the cheek



Satinized finition

Prevent light reflection in the eyes
Avoid eye fatigue



Optimal crimping

The frame suits the mirror
No sharp edges
No blood and dirt retention



Competitors

Mouth mirrors simple stem

| | | | | |
|--|---------------------------|---|--|---|
|  | n.0 Plan mirror | Pure Reflect® mirror - x12 | 101,00 € | MP3614PH |
|  | n.1 Plan mirror | Pure Reflect® mirror - x12 | 101,00 € | MP3616PH |
|  | n.2 Plan mirror | RH mirror - x12 Pure Reflect® mirror - x12 | 61,50 € 101,00 € | MP3318PH MP3618PH |
|  | n.3 Plan mirror | Alu mirror - x12 RH mirror - x12 Pure Reflect® mirror - x12 | 32,90 € 53,80 € 93,30 € | MP3120PH MP3320PH MP3620PH |
|  | n.4 Plan mirror | Alu mirror - x12 Alu mirror - x20 RH mirror - x12 Pure Reflect® mirror - x12 | 19,80 € 34,00 € 41,70 € 53,80 € | MP3122PH MPV3122PH MP3322PH MP3622PH |
|  | n.5 Plan mirror | Alu mirror - x12 Alu mirror - x20 RH mirror - x12 Pure Reflect® mirror - x12 | 19,80 € 34,00 € 41,70 € 53,80 € | MP3124PH MPV3124PH MP3324PH MP3624PH |
|  | n.6 Plan mirror | Alu mirror - x12 RH mirror - x12 Pure Reflect® mirror - x12 | 34,00 € 65,90 € 105,40 € | MP3126PH MP3326PH MP3626PH |
|  | n.7 Plan mirror | Alu mirror - x1 Pure Reflect® mirror - x1 | 990,00 € 26,30 € | MP3128PH MP3628PH |

| | | | | |
|---|--|--|--|--|
|  | n.8 Plan mirror | Alu mirror - x1 RH mirror - x1 Pure Reflect® mirror - x1 | 11,00 € 19,80 € 27,40 € | MP3130PH MP3330PH MP3630PH |
|  | n.9 Plan mirror | Alu mirror - x1 RH mirror - x1 Pure Reflect® mirror - x1 | 11,00 € 23,10 € 29,60 € | MP3140PH MP3340PH MP3640PH |
|  | n.10 Plan mirror | Alu mirror - x1 Pure Reflect® mirror - x1 | 12,10 € 36,20 € | MP3155PH MP3655PH |
|  | n.4 Double sided mirror | RH mirror - x12 RH mirror - x6 Pure Reflect® mirror - x12 Pure Reflect® mirror - x6 | 119,70 € 67,00 € 147,10 € 82,30 € | MP7322PH MP7422PH MP7822PH MP7722PH |
|  | n.5 Double sided mirror | RH mirror - x12 RH mirror - x6 Pure Reflect® mirror - x12 | 119,70 € 67,00 € 147,10 € | MP7324PH MP7424PH MP7824PH |
|  | n.4 Magnifying mouth mirror x3.5 | Alu mirror - x12 | 30,70 € | MP3222PH |
|  | n.5 Magnifying mouth mirror x3.5 | Alu mirror - x12 | 31,80 € | MP3224PH |

Micromirrors



Pure Reflect® Micromirror SS Ø3mm - round 82,30 € MP3303PH



Pure Reflect® Micromirror SS Ø5mm - round 82,30 € MP3305PH



Pure Reflect® Micromirror SS 7x2mm - rectangular 88,90 € MP3306RPH



Pure Reflect® Micromirror SS 9x3mm - rectangular 88,90 € MP3310RPH



Pure Reflect® Micromirror Ø3mm - 14.8cm - round 76,80 € MP1303PH



Pure Reflect® Micromirror Ø5mm - 14.8cm - round 76,80 € MP1305PH




Pure Reflect® Micromirror 7x2mm - 14.8cm - rectangular 88,90 € MP1306RPH



Pure Reflect® Micromirror 9x3mm - 14.8cm - rectangular 88,90 € MP1310RPH

Photographic mirrors



Occlusal surface adult

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP511.
MZP512.
MZP516.




Occlusal surface child

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP521.
MZP522.
MZP526.



Vestibular surface

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP531.
MZP532.
MZP536.



Thin lingual surface

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP541.
MZP542.
MZP546.




Large lingual surface

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP551.
MZP552.
MZP556.




Lateral shape

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP561.
MZP562.
MZP566.




Large occlusal surface

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP571.
MZP572.
MZP576.



Extra large occlusal surface

TI coating
Chromium coating
Pure Reflect® coating

77,90 €
56,00 €
110,90 €

MZP581.
MZP582.
MZP586.

Contrastors



Contrastor n.4 small straight design
240x60x1.5mm

26,30 € MZP215



Contrastor n.5 large straight design
240x60x1.5mm

26,30 € MZP216



Contrastor n.3
73x70mm

26,30 € MZP217



Contrastor n.1
84x85mm angular

26,30 € MZP218



Contrastor n.2
59x70mm angular

26,30 € MZP219

Accessories



XLStyle mirror handle EU stem

XLstyle
handle

12,10 € 210.00XL



Design mirror handle EU stem


Design
handle

6,60 € 210.00D



Rotating holder for photographic mirrors

72,40 € MZP214.



Sterilization tray for photographic mirrors
for 3 photographic mirrors
or 2 photographic mirrors + 1 handle
(sold empty)

157,00 € 233.19



Anti-mist solution for mirrors 100ml
Anti-mist solution for mirrors 30ml

22,00 € ABF
AB30

ACTEON®
CONSUMABLES



PROSTHETICS

.....



expasyl exact



ENHANCE YOUR
IMPRESSION ACCURACY

expasyl



A TRIPLE ACTION

1 ASTRINGENT EFFECT

helps to completely dry the sulcus with no blood or fluids.

2 OPEN THE SULCUS

effectively with no pain or damage to tissues thanks to the viscosity carefully calculated with our clinical expertise.

3 PRESERVE EPITHELIAL ATTACHMENT*

for a reduced risk of gingival recession and bone resorption.

* Canula must not be inserted into the sulcus



EXPASYL™ PASTE USED BY EXPERTS

97% of Expasyl™ paste users would recommend this product to a colleague*

93% of Expasyl™ paste users say that the sulcular opening obtained with the product is ideal for impression taking*


94% of Expasyl™ paste users find that the application is very easy*

WHY CHOOSE EXPASYL™ RETRACTION PASTE?

Compared to traditional cords, Expasyl™ paste preserves gingival tissues and epithelial attachment.⁽¹⁾

Expasyl™ paste generates pressure 1.7 to 9.2 times greater than other retraction paste available on the market.⁽²⁾

ENSURE COMPLETE
SUCCESS OF YOUR
PROSTHETIC RESTORATIONS



Dr Erwan BOULIC
Dentist - France

Expasyl™ paste allows full access to emergence profile to guarantee the most natural finish



EASILY APPLIED
20 SECONDS



WORKS IN
1-2 MINUTES
max



EASILY REMOVED
with a gentle
air/water spray

(1) Bennani V, Aarts JM, He LH. A comparison of pressure generated by cordless gingival displacement techniques. J Prosthet Dent. 2012 June;107(6):388-92.
(2) Klette T, Schulte C. Force required to displace Pastes and gels for Gingival retraction. 2012 AADR Annual Meeting (Tampa, Florida) – Poster Session ID 1364.

Expasyl™ Exact



Expasyl™ Exact x 50 322,40 € 261 011

Expasyl™ Exact x 20 141,70 € 261 010



Universal applicator gun 111,50 € 260 920

Expasyl™



Expasyl™ Minikit
with 6 capsules + 12 straight cannulas
+ 1 applicator 388,50 € 294 100



Capsule strawberry flavour x 20 204,50 € 261 001

Capsule x 20 193,70 € 261 030



Bent cannulas x 40 60,60 € 261 045



Straight cannulas x 40 56,30 € 261 040



Straight cannulas x 100 82,20 € 261 005

Manual applicator 411,20 € 260 900

cav-hycal

Light-curing, radiopaque one-component material containing calcium hydroxide



Indications

- Indirect pulp capping

Cavity liner

Properties

- One-component material
- Radiopaque.
- High compressive and tensile strength

Cav-Hycal™

2 x 2ml syringes and 20 disposable tips

85,60 € 213 876

Class IIa medical device (MEDCERT) - CE 0482 - Manufacturer: MP Medical Product - Germany
Distributed by: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

ENDODONTICS

.....



Aesthetics restoration

cav-hycal

Light-curing, radiopaque one-component material containing calcium hydroxide



Indications

- Indirect pulp capping
- Cavity liner

Properties

- One-component material
- Radiopaque.
- High compressive and tensile strength

Cav-Hycal™

2 x 2ml syringes and 20 disposable tips

85,60 €

213 876

Class IIa medical device (MEDCERT) - CE 0482 - Manufacturer: MP Medical Product - Germany

Distributed by: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

| | | | |
|--|---|-------------|---------|
| | Filling | Endodontics | 185 |
| | | | |
| | MTA* caps | | |
| | Endodontic repair cement | | |
| | Indications | | |
| | <ul style="list-style-type: none"> • Root end filling (retrograde) • Repair of root perforations during root canal therapy • Pulp capping • Root end filling (orthograde) | | |
| | Properties | | |
| | <ul style="list-style-type: none"> • Biocompatible • Barrier impervious to bacteria and fluids • Radiopaque • Easy to use • Delivered under single-use capsules | | |
| | MTA* CAPS⁽¹⁾ | | |
| | 1 aluminium bag with 2 pre-proportioned 0.3g-capsules | 102,10 € | 251 170 |
| | MTA* Appli caps⁽²⁾ | | |
| | | 101,00 € | 213 675 |
| | | | |
| | | | |
| | hyca | | |
| | Ready-to-use calcium hydroxide paste | | |
| | Indications | | |
| | Hyca™ is a calcium hydroxide paste indicated for application: | | |
| | <ul style="list-style-type: none"> • Direct capping when pulp opened or after pulpotomy. • Indirect capping for treatment of deep caries. • Lining of cavities to prevent exposure to acid media when using cements • Temporary filling of root-canals. | | |
| | Properties | | |
| | <ul style="list-style-type: none"> • Product ready to use. • High pH (>12.5) • Effective protection of the pulp. • Formation of tertiary dentin. • Radio-opaque. | | |
| | HYCAL™ | | |
| | 1 x 2ml syringe and 5 additional bended application cannulas | 62,60 € | 259 314 |
| | | | |
| | | | |

Class IIa medical device (MEDCERT) - CE 0482 - Manufacturer: MP Medical Product - Germany
Distributed by: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France



sealite regular

Powder and liquid for permanent sealing cement for root canals

Properties

Cement allows the tooth to remain functional.

Forms an easy-to-apply, tight (very low solubility and disintegration after setting, in compliance with ISO 6876:2012), radiopaque cement with a homogeneous consistency.

Must be used with gutta percha cones.

Composition

- Sealite™ Regular powder: Diiodothymol - Zinc oxide - Radio-opacifier - Excipients
- Sealite™ Liquide: Eugenol - Excipients



Sealite™ Regular kit

25g of Sealite™ Regular Powder⁽¹⁾, 10ml of Sealite™ Liquide⁽¹⁾,
1 spoon⁽²⁾, 1 dropper⁽²⁾

126,20 € **266 264**

Sealite™ Liquide⁽¹⁾

10ml (refill)

38,40 € **266 267**

(1) Class IIa medical device (GMED) - CE 0459

(2) Class I medical device - CE

Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

eugenol pur

Liquid for zinc-oxide based cement

Properties

The eugenol confronted with bivalent metallic ions (Zn²⁺) forms a chelate: chemopolymerization.

To be used with Cortisomol™ SP powder.

Composition

Eugenol 100%



Eugenol Pur

60ml bottle

51,60 € **234 110**

Class IIa medical device (GMed) - CE 0459 - Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

cimavit

Zinc oxide-based temporary filling cement

Properties

- Ready-to-use (no mixing)
- Waterproof
- Very good adherence to dentine
- Immediate setting time in mouth
- Easy to remove (probe, excavator, ...)
- Pink colour for a good contrast



Cimavit™

6 x 28g jars

76,80 €

213 859

Class IIa medical device (TUV Rheinland) - CE 0197 - Manufacturer: G-Pharma - France
Distributed by: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

cimavit photo

Light-curing filling material for temporary restorations

Indications

All types of temporary fillings, temporary protection in inlay and onlay techniques

Properties

Ready-to-use material, does not stick to instruments, condensable, does not require a particular finishing of the cavity, ensures a hermetic seal (isolates the tooth from bacterial and thermal aggression).

In case of more than two weeks' stay in mouth, and in occlusal or marginal areas, reinforcement with composite is recommended.

Good aesthetic translucency. Its elastic consistency facilitates its removal in one bloc.



Cimavit™ Photo

2 x 4g syringes

67,00 €

213 830

Class IIa medical device (MEDCERT) - CE 0482 - Manufacturer: MP Medical Product - Germany

Distributed by: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

PROPHYLAXIS & PERIODONTICS

.....



etik collagene

Hemostatic surgical dressing

Properties

Collagen is a fibrillar protein naturally present in all connective tissues.

Lyophilized collagen in cylindrical form displays hemostatic activity due to its adhesive power, liquid absorption and gelification properties.

The collagen cylinder moulds itself into the hemorrhagic surface where it adheres strongly upon mechanical compression, thus promoting the formation and maintenance of a platelet clot (coagulation).

The collagen cylinders are resorbable.

Composition

Native, non-denatured, lyophilized bovine collagen (mainly type I collagen): 100%. This device contains tissues of animal origin under regulation (EU) no. 722/2012.

Dimensions: diameter ≈ 10mm, height ≈ 16mm



Etik™ Collagene

25 unit-packaged sterile cylinders (in blister packs)

87,80 €

281 970

Class III medical device (GMED) - CE 0459 - Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

hemostasyl

Hemostatic surgical dressing

Indication

To be used in all cases of moderate bleeding occurring in routine dental practice (scaling, etc.)

Properties

- Thixotropic properties
- Good adhesion to the gingival mucosa, without compression
- Presence of aluminum chloride which reinforces its mechanical haemostatic effect
- Placed directly in the mouth with the single-use angled cannula
- Easily located due to its color
- Easily removed by gentle water spray without resumption of bleeding
- Painless on a healthy periodontium
- Contact time: 2 minutes max.



Hemostasyl™ kit

2 x 2g-syringes⁽¹⁾ + 40 cannulas⁽²⁾

86,70 €

246 200

Hemostasyl™ seringues

2 x 2g-syringes⁽¹⁾

71,40 €

246 050

Hemostasyl™ cannulas⁽²⁾ x 40

19,80 €

246 100

(1) Class IIa medical device (GMED) - CE 0459

(2) Class I medical device - CE - Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

sitsalicine

Polishing teeth after scaling

Properties

Silica is a mildly abrasive powder which gives the paste its polishing properties, eliminating the micro-roughness that is present after scaling, without damaging the enamel or gums. A flavouring compound gives its pleasant, refreshing taste.



Sitsalicine™

60g tube

49,40 €

277 803

Class IIa medical device (GMED) - CE 0459 - Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

HYGIENE

.....



METALLIC TIPS**DID YOU KNOW?**

It is impossible to clean correctly the inside of reusable tips due to the presence of biofilm.⁽¹⁾



- Not effective cleaning of reusable tips in the long-term.
- Hygiene maintenance takes time between two patients.

“

With regard to cleaning and sterilization, disposable tips were found to be more acceptable in clinical use than metal tips.⁽²⁾

(1) M.Inger, V.Bennani, M.Farella, F.Bennani, RD.Cannon. Efficacy of air/water syringe tip sterilization. Australian Dental Journal 2014; 59: 87-92 - R. Puttaiah et al. Rationale for using single-use disposable air/water syringe tips. Compendium. 1999;20(11):1056-1069

riskontrol

Disposable tips

YOUR DAILY ROUTINE





- Save time & money
- Ensure your clinical protection
- Protect your patient
- Meet your expectations for your different procedures
- Reach easily difficult-to-access areas
- Avoid risk of ingestion

(2) ML Silva, M. Zumpé, J. Lespinasse, M. Aulois-Griot. Cost comparison of reusable and disposable air/water syringe tips in a large French teaching hospital. Swiss Dental Journal 2017

universal solution

Match with your air/water syringe

RISKONTROL® adapters are available for more than 150 types of dental chairs.



Find the adapter that matches perfectly with your equipment in our adapters guide



Adapters guide



art riskontrol

| | | | |
|--|--|---------|---------|
|  | Non sterile orange/mandarine tips x 250 | 57,10 € | 201 701 |
|  | Non sterile grey/liquorice tips x 250 | 57,10 € | 201 702 |
|  | Non sterile green/anise tips x 250 | 57,10 € | 201 703 |
|  | Non sterile purple/black currant tips x 250 | 57,10 € | 201 704 |
|  | Non sterile white/mint tips x 250 | 57,10 € | 201 700 |



| | | | |
|--|---|---------|---------|
|  | Non sterile white tips x 100 - with plastic sheath | 32,90 € | 201 751 |
|  | Non sterile blue tips x 100 - with plastic sheath | 32,90 € | 201 750 |

Class I medical devices - CE - Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France



classic riskontrol

| | | | |
|---|----------------------------------|---------|---------|
|  | Non sterile white tips x 250 | 57,10 € | 201 664 |
|  | Non sterile blue tips x 250 | 57,10 € | 201 665 |
|  | Non sterile yellow tips x 250 | 57,10 € | 201 666 |
|  | Non sterile green tips x 250 | 57,10 € | 201 667 |
|  | Non sterile pink tips x 250 | 57,10 € | 201 668 |

Class I medical devices - CE - Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France



sterile riskontrol

| | | | |
|---|---|---------|---------|
|  | Tips under individual blisters x 96 - sterilized with ethylene oxide | 37,80 € | 201 770 |
|---|---|---------|---------|

Class Ia medical device (GMED) - CE 0459 - Manufacturer: PRODUITS DENTAIRES PIERRE ROLLAND ACTEON® Group - France

Adapters for air/water syringe

The Riskontrol® range includes different adapters able to equip about a large number of dental chairs.

The adapter is left permanently in place. You just need to change the tips between each patient.

The adapters are delivered with 1 protective cap and, depending on the types, with a replacement O-ring to ensure optimal functioning of your syringe.

Contact your area dealer to determine the correct adapter for your dental chair.

| | | | | | |
|-----------------------------|---|---------------------|-------------------|---|---------------------|
| ADEC INOX (NV) |  | 200 195 111,50 € | ADEC NEW (NV) |  | 200 205 111,50 € |
| BELMONT NEW (NV) |  | 200 158 111,50 € | CAS INOX (NV) |  | 200 198 111,50 € |
| CASTELLINI LOGO NEW (NV) |  | 200 194 111,50 € | CASTELLINI V (NV) |  | 200 163 111,50 € |
| CEFLA INOX (NV) |  | 200 197 111,50 € | D.C.I. (NV) |  | 200 152 111,50 € |
| DENTALEZ (NV) |  | 200 164 111,50 € | ENGLE (NV) |  | 200 194 111,50 € |
| FA E (NV) |  | 200 165 129,80 € | FA E2 (NV) |  | 200 166 135,80 € |
| FA C (NV) |  | 200 167 111,50 € | FA C2 (NV) |  | 200 168 111,50 € |
| FA S1 (NV) |  | 200 182 111,50 € | FLEX (NV) |  | 200 169 111,50 € |
| GNATUS INOX (NV) |  | 200 149 111,50 € | KAVO C (NV) |  | 200 171 111,50 € |
| KAVO E (NV) |  | 200 172 111,50 € | KAVO GB (NV) |  | 200 156 162,30 € |

| | | | | | |
|--------------------------|---|---------------------|--------------------------|---|---------------------|
| KAVO HB (NV) |  | 200 153 111,50 € | KAVO IB (NV) |  | 200 192 200,20 € |
| KAVO J (NV) |  | 200 181 111,50 € | KAVO K (NV) |  | 200 160 111,50 € |
| LU INOX (NV) |  | 200 150 111,50 € | LU V (NV) |  | 200 173 111,50 € |
| LU NEW INOX (NV) |  | 200 199 111,50 € | MORITA 66 TYPE 2 (NV) |  | 200 159 119,00 € |
| MORITA INOX WS10 (NV) |  | 200 201 162,30 € | MORITA INOX WS97 (NV) |  | 200 200 111,50 € |
| MORITA S12 (NV) |  | 200 183 162,30 € | RITTER TOP JET (NV) |  | 200 176 111,50 € |
| RITTER COMBIJET (NV) |  | 200 175 111,50 € | SIEMENS 2000 (NV) |  | 200 177 111,50 € |
| SIEMENS 4000 (NV) |  | 200 178 111,50 € | SIRONA B (NV) |  | 200 154 111,50 € |
| SIRONA L (NV) |  | 200 196 189,40 € | TRIDAC II (NV) |  | 200 190 111,50 € |
| YOSHIDA 3 (NV) |  | 200 193 111,50 € | YOSHIDA V (NV) |  | 200 180 111,50 € |



ACTEON®
OEM

ULTRASONICS

.....



sp newtron



60x50x33mm
28-36kHz
0.1 to 12W
Supply Voltage: 24Vac / 30VA; 34Vdc
Settings: analog or digital



SP Newtron® 4K 5V Module
with connectors

F55297



SP Newtron® 4K 5V Module
with wires

F55298



SP Newtron® 4K3 7V Module
with US special connection

F55287

Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France



SP Newtron® kits

SP Newtron® 4K 5V with light grey cord

F55292

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00195 | Handpiece | Potentiometer | Tips |
| Ø4x6 / Length 2070mm | F12281 | F00524 | 1, 2, 10P |

SP Newtron® 4K 5V with light grey cord and connectors

F55349

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00239 | Handpiece | Potentiometer | Tips |
| Ø6x8 / Length 2070mm | F12281 | F00524 | 1, 2, 10P |

SP Newtron® 4K 5V with dark grey cord

F55311

| | | | |
|-----------------------|-----------|---------------|-----------|
| Cord F00426 | Handpiece | Potentiometer | Tips |
| Ø7x10 / Length 1500mm | F12281 | F00524 | 1, 2, 10P |

SP Newtron® 4K 5V with dark grey cord

F55375

| | | |
|----------------------|-----------|-----------|
| Cord F00187 | Handpiece | Tips |
| Ø4x6 / Length 2300mm | F12281 | 1, 2, 10P |

SP Newtron® Slim B.LED handpiece with light grey cord

F56260

| | | | |
|--------------------------|-----------|---------------|-----------|
| Cord F00426 | Handpiece | Potentiometer | Tips |
| Ø4.5x5.6 / Length 2080mm | F12905 | F00522 | 1, 2, 10P |

SP Newtron® Slim B.LED handpiece with medium grey cord

F56262

| | | | |
|--------------------------|-----------|---------------|-----------|
| Cord F01201 | Handpiece | Potentiometer | Tips |
| Ø4.5x5.6 / Length 2080mm | F12905 | F00522 | 1, 2, 10P |

SP Newtron® with light grey cord

F55299

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00239 | Handpiece | Potentiometer | Tips |
| Ø6x8 / Length 2070mm | F12281 | F00524 | 1, 2, 10P |

SP Newtron® INTL 81" G3 with medium cord

F55383

| | | |
|----------------------|-----------|-----------|
| Cord F01154 | Handpiece | Tips |
| Ø5x7 / Length 1900mm | F12281 | 1, 2, 10P |

SP Newtron® INTL 61" G3 with medium cord

F55385

| | | |
|----------------------|-----------|-----------|
| Cord F011543 | Handpiece | Tips |
| Ø5x7 / Length 1400mm | F12281 | 1, 2, 10P |

SP Newtron® INTL 81" G3 with medium cord

F55453

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F01154 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 1900mm | F12281 | F00523 | 1, 2, 10P |

SP Newtron® with dark grey cord

F55372

| | | |
|----------------------|-----------|-----------|
| Cord F00150 | Handpiece | Tips |
| Ø4x6 / Length 2300mm | F12281 | 1, 2, 10P |

SP Newtron® INTL 61" with Surf 6 grey cord

F55285

| | | |
|----------------------|-----------|-----------|
| Cord F00184 | Handpiece | Tips |
| Ø5x7 / Length 1400mm | F12281 | 1, 2, 10P |

SP Newtron® INTL 81" with Surf 6 grey cord

F55452

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00188 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 1900mm | F12281 | F00525 | 1, 2, 10P |

SP Newtron® 4K 5V with Surf 6 grey cord

F56274

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F01181 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 2300mm | F12281 | E51745 | 1, 2, 10P |

sp newtron led



75x49x33mm
28-36kHz
0.1 to 12W
Supply Voltage: 24Vac / 30VA; 34Vdc
Settings: analog or digital



SP Newtron® LED 4K 5V Module
with connectors

F55527



SP Newtron® LED 4K 5V Module
with wires

F55528



SP Newtron® LED4K3 7V Module
with US special connection

F55529

Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France



SP Newtron® LED kits

SP Newtron® LED 4K 5V with light grey cord

F55506

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00606 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 2070mm | F12609 | F00524 | 1, 2, 10P |

SP Newtron® LED 4K 5V with light grey cord

F55543

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00614 | Handpiece | Potentiometer | Tips |
| Ø6x8 / Length 2070mm | F12609 | F00524 | 1, 2, 10P |

SP Newtron® LED with medium grey cord

F55525

| | | | |
|----------------------|-----------|---------------|------------|
| Cord F00633 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 2300mm | F12609 | F00524 | 1S, 2, 10P |

SP Newtron® LED with medium grey cord

F55501

| | | | |
|-----------------------|-----------|---------------|-----------|
| Cord F00633 | Handpiece | Potentiometer | Tips |
| Ø7x10 / Length 1900mm | F12609 | F00524 | 1, 2, 10P |

SP Newtron® LED INTL 81" handpiece with medium grey cord

F55454

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00633 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 1900mm | F12609 | F00525 | 1, 2, 10P |

SP Newtron® LED with dark grey cord

F55507

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F00618 | Handpiece | Potentiometer | Tips |
| Ø6x8 / Length 2300mm | F12609 | F00524 | 1, 2, 10P |

SP Newtron® LED with dark grey cord

F55510


| | | | |
|----------------------|-----------|---------------|------------|
| Cord F00616 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 1400mm | F12609 | F00524 | 1, 10Z, H3 |

SP Newtron® LED with dark grey cord

F55512

| | | | |
|----------------------|-----------|---------------|-----------|
| Cord F01182 | Handpiece | Potentiometer | Tips |
| Ø5x7 / Length 2300mm | F12609 | F00524 | 1, 2, 10P |

sp4055 newtron



SP 4055 Newtron® Module

F55270

Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

SP 4055 Newtron® LED + driver with dark grey cord

| | | |
|-------------|------------------|------------------------------|
| Cord F00618 | Handpiece F12609 | Tips Ø6x8 / Length 2300mm |
|-------------|------------------|------------------------------|

F55377

SP 4055 Newtron® with light grey cord

| | | | |
|-------------|------------------|----------------------|-------------------------------|
| Cord F00432 | Handpiece F12281 | Potentiometer F00524 | Tips Ø7x10 / Length 1900mm |
|-------------|------------------|----------------------|-------------------------------|

F55240

SP 4055 Newtron® with medium grey cord

| | | | |
|-------------|------------------|----------------------|-------------------------------|
| Cord F00137 | Handpiece F12281 | Potentiometer F00524 | Tips Ø7x10 / Length 2300mm |
|-------------|------------------|----------------------|-------------------------------|

F55410

SP 4055 Newtron® with dark grey cord

| | | |
|-------------|------------------|------------------------------|
| Cord F01157 | Handpiece F12281 | Tips Ø6x8 / Length 2300mm |
|-------------|------------------|------------------------------|

F56268



xinetic



Xinetic Module

F55089

Class IIa medical device (GMED) - CE 0459 - Manufacturer: SATELEC® ACTEON® Group - France

Xinetic with light grey cord

| | | | |
|-------------|------------------|----------------------|------------------------------|
| Cord F00195 | Handpiece F12200 | Potentiometer F55088 | Tips Ø4x6 / Length 2070mm |
|-------------|------------------|----------------------|------------------------------|

F55090

Xinetic with medium grey cord

| | | |
|-------------|------------------|------------------------------|
| Cord F01154 | Handpiece F12200 | Tips Ø5x7 / Length 2070mm |
|-------------|------------------|------------------------------|

F55091

Xinetic with light grey cord

| | | | |
|-------------|------------------|----------------------|------------------------------|
| Cord F00187 | Handpiece F12200 | Potentiometer F55088 | Tips Ø4x6 / Length 2300mm |
|-------------|------------------|----------------------|------------------------------|

F55100



Standard cords



Light grey silicone cord
Ø4x6; L 2070cm

F00195



Medium grey Newtron® cord 61"
Ø5x7; L 1400cm

F01153



Dark grey silicone cord
Ø4x6; L 2300cm

F00150



Dark grey cord
Ø7x10; L 1500cm

F00426



Dark grey cord
Ø6x8; L 2300cm

F01157



Surf 6 grey Newtron® cord 61"
Ø5x7; L 1400cm

F00184



Surf 6 grey Newtron® cord 81"
Ø5x7; L 1900cm

F00188



Surf 6 grey silicone cord
Ø6x8; L 2300cm

F00234

LED cords



Light grey LED cord
Ø5x7; L 2070cm

F00606



Medium grey Fedesa cord
Ø7x10; L 1900m

F00607



Medium grey Newtron® LED cord 81"
Ø5x7; L 1900cm

F00633



Dark grey Newtron® LED cord
Ø6x8; L 2300cm

F00618



Surf 6 grey LED cord
Ø5x7; L 2300m

F01182



Surf 6 grey LED cord
Ø5x7 ; L 1400m

F00616



Light grey Newtron® SLIM LED cord
Ø4.5x5.6; L 2080cm

F01200



Medium grey Newtron® SLIM LED cord
Ø4.5x5.6; L 2080cm

F01201



Dark grey Newtron® SLIM LED cord
Ø4.5x5.6; L 2080cm

F01202

Handpieces



Suprasson handpiece
autoclavable, light grey

F12200



Newtron® handpiece
autoclavable, light grey/dark grey

F12281



Newtron® titanium handpiece
autoclavable, light grey/dark grey

F01153



Newtron® LED handpiece
autoclavable

F12609



Newtron® LED titanium handpiece
autoclavable

F12689



Low voltage Newtron® LED handpiece
autoclavable

F12607



Newtron® SLIM handpiece
without LED

F12901



Low voltage Newtron® SLIM B.LED handpiece
with white LED ring

F12905



Newtron® SLIM B.LED handpiece
with white LED ring 11V

F12909

LED rings



LED ring
for Newtron® LED handpiece

F12605



LED ring - Low voltage
for low voltage Newtron® LED handpiece

F12606



Newtron® SLIM B.LED blue LED ring
for low voltage Newtron® Slim B.LED
handpiece

F62201



Newtron® SLIM B.LED white LED ring
for low voltage Newtron® Slim B.LED
handpiece

F12915



Newtron® SLIM B.LED white LED ring
11V - for Newtron® Slim B.LED handpiece

F12932



Newtron® SLIM B.LED blue LED ring
11V - for Newtron® Slim B.LED handpiece

F12934

Accessories



Potentiometer 4.7K

F00522



Color SP Newtron® potentiometer 4.7K

F00524



Xinetic potentiometer

F55088



LUX handpiece SAV OEM Kit
to LED handpiece LUX
with low voltage LED handpiece, low
voltage LED ring, 2 resistances kit, light
grey LED handpiece OEM cord Ø5x7
(2.07m) and 3 o'rings seal + o'ring tool

F12686



Wiring extension SP Newtron®

F55205



Wiring extension SP Newtron® led

F55522



SP Newtron® dummy load

F12901



SteriPump kit without module
with 2 autoclavable irrigation lines and 10
perforators

F28653



SteriPump module

F28660



SteriPump + module Kit
with a Steri Pump, Steri Pump module,
2 autoclavable irrigation lines and
10 perforators

F28652



Complete SteriPump kit
Delivered with a Steri Pump, Steri
Pump module, 2 autoclavable irrigation
lines and 10 perforators, 5 clips, a 4.7K
potentiometer

F28650

MOTORS

.....



Modules



M6 module
without option

F34300



M6P module
Pneumatic option with connectors

F34304

Motors



Light motor

F28600



AV40 motor
External spray

F28502

Cords



Medium grey cord
for light and IS motors

F33711




Medium grey cord
for AV motor

F33712



Black coiled cord
for light motor

F33713



CURING LIGHT

.....



miniled standard



MiniLED™ OEM handpiece

F02710

MiniLED™ OEM with module

with a handpiece, a module, a Ø7.5mm opalescent guide, an oval light shield and with:

| | |
|---------------------------|--------|
| Surf 6 grey cord | F02505 |
| Medium grey cord | F02719 |
| Dark grey cord | F02720 |
| Gray 3 (Medium grey) cord | F02538 |

MiniLED™ OEM with module

with a handpiece, a module, a Ø7.5mm opalescent guide, 2 caps and with:

| | |
|-----------------|--------|
| Light grey cord | F02715 |
|-----------------|--------|

MiniLED™ OEM without module

with a handpiece, a Ø7.5mm opalescent guide, an oval light shield and with:

| | |
|------------------|--------|
| Medium grey cord | F02693 |
| Dark grey cord | F02694 |

MiniLED™ OEM without module

with a handpiece, a module, a Ø7.5mm opalescent guide, an oval light shield and with:

| | |
|-----------------|--------|
| Light grey cord | F02714 |
|-----------------|--------|



miniled supercharged



MiniLED™ Supercharged OEM handpiece

F05218

MiniLED™ Supercharged OEM with module

with a handpiece, a module, a Ø7.5mm opalescent guide, an oval light shield and with:

| | |
|------------------|--------|
| Light grey cord | F05205 |
| Medium grey cord | F05206 |
| Dark grey cord | F05207 |
| Surf 6 grey cord | F05208 |



Modules



MiniLED™ OEM module

F02730

Cords



Dark grey cord

F02721



Medium grey cord

F02722



Light grey cord

F02723



Surf 6 grey cord

F02326



Grey 3 (Medium grey) cord

F02327

Light guides



Opalescent light guide Ø7.5mm

F02648



Opalescent light guide Ø5.5mm

F02652



Opalescent amber light guide Ø5.5mm

F02620



Opalescent light guide Ø7.5mm
Scanwave

F02648



Opalescent light guide Ø5.5mm
Scanwave

F02652

Light shield & caps



Oval light shield
for MiniLED™ Supercharged OEM

F05407



Oval light shield
for MiniLED™ OEM

F02555



Autoclavable caps Ø7.5mm x5
for MiniLED™ OEM,
MiniLED™ Supercharged OEM

F61507



Autoclavable caps Ø5.5mm x5
for MiniLED™ OEM,
MiniLED™ Supercharged OEM

F61505



Autoclavable caps Ø7.5mm x5
Autoclavable caps Ø5.5mm x5
for MiniLED™ OEM,
MiniLED™ Supercharged OEM

F61515

INTRAORAL CAMERAS

.....



Module & linking cables dock U



Mini Dock U USB2⁽¹⁾
Built-in docking station with USB2 output

**MINI DOCK
U_USB2**

| | |
|--|--------|
| Linking cables for built-in docking stations type U without sheath | 922144 |
| Length 2.5m | |

| | |
|--|--------|
| Linking cables for built-in docking stations type U without sheath | 922145 |
| Length 5m | |

| | |
|--|--------|
| Linking cables for built-in docking stations type U without sheath | 922146 |
| Length 7m | |

| | |
|---|--------|
| Linking cables for built-in docking stations type MU without sheath | 922062 |
| Length 2.5m | |

| | |
|---|--------|
| Linking cables for built-in docking stations type MU without sheath | 922063 |
| Length 5m | |

| | |
|---|--------|
| Linking cables for built-in docking stations type MU without sheath | 922064 |
| Length 7m | |

Linking cables dock U

| | |
|--|--------|
| Linking cable light grey instrument holder | 922147 |
| Length 2.5m | |

| | |
|--|--------|
| Linking cable light grey instrument holder | 922148 |
| Length 5m | |

| | |
|--|--------|
| Linking cable light grey instrument holder | 922149 |
| Length 7m | |

| | |
|---|--------|
| Linking cable light grey Cattani Ø21 suction holder | 922150 |
| Length 5m | |

| | |
|---|--------|
| Linking cable light grey UK pending cord holder | 922151 |
| Length 2.5m | |

| | |
|---|--------|
| Linking cable light grey UK pending cord holder | 922152 |
| Length 5m | |

| | |
|---|--------|
| Linking cable light grey UK pending cord holder | 922153 |
| Length 7m | |

| | |
|--|--------|
| Linking cable Surf 6 instrument holder | 922154 |
| Length 2.5m | |

| | |
|--|--------|
| Linking cable Surf 6 instrument holder | 922155 |
| Length 5m | |

| | |
|--|--------|
| Linking cable Surf 6 instrument holder | 922156 |
| Length 7m | |

| | |
|---|--------|
| Linking cable Surf 6 Cattani Ø21 suction holder | 922157 |
| Length 2.5m | |

| | |
|---|--------|
| Linking cable Surf 6 Cattani Ø21 suction holder | 922158 |
| Length 5m | |

| | |
|---|--------|
| Linking cable Surf 6 Cattani Ø21 suction holder | 922159 |
| Length 7m | |

| | |
|---|--------|
| Linking cable Surf 6 UK pending cord holder | 922138 |
| Length 2.5m | |


| | |
|---|--------|
| Linking cable Surf 6 UK pending cord holder | 922160 |
| Length 5mWw | |

| | |
|---|--------|
| Linking cable Surf 6 UK pending cord holder | 922139 |
| Length 7m | |

Linking cables dock U

| | |
|---|--------|
| Linking cable grey 3 UK pending cord holder Length 2m | 922140 |
| Linking cable grey 3 UK pending cord holder Length 7m | 922141 |
| Linking cable dark grey instrument holder Length 2.5m | 922161 |
| Linking cable dark grey instrument holder Length 5m | 922162 |
| Linking cable dark grey instrument holder Length 7m | 922163 |
| Linking cable dark grey Cattani Ø21 suction holder Length 2.5m | 922164 |
| Linking cable dark grey Cattani Ø21 suction holder Length 5m | 922165 |
| Linking cable dark grey UK pending cord holder Length 7m | 922166 |
| Linking cable medium grey instrument holder Length 2.5m | 922167 |
| Linking cable medium grey instrument holder Length 5m | 922168 |
| Linking cable medium grey instrument holder Length 7m | 922143 |
| Linking cable medium grey Cattani Ø21 suction holder Length 5m | 922142 |

Configuration of docks U



Linking cables dock MU USB2

| | |
|--|---------------|
| Linking cable light grey instrument holder Length 2.5m | 922065 |
| Linking cable light grey instrument holder Length 5m | 922066 |
| Linking cable light grey instrument holder Length 7m | 922067 |
| Linking cable light grey Cattani Ø21 suction holder Length 5m | 922075 |
| Linking cable light grey UK pending cord holder Length 2.5m | 922086 |
| Linking cable light grey UK pending cord holder Length 5m | 922087 |
| Linking cable light grey UK pending cord holder Length 7m | 922088 |
| Linking cable Surf 6 instrument holder Length 2.5m | 922098 |
| Linking cable Surf 6 instrument holder Length 5m | 922099 |
| Linking cable Surf 6 instrument holder Length 7m | 922100 |
| Linking cable Surf 6 Cattani Ø21 suction holder Length 2.5m | 922101 |
| Linking cable Surf 6 Cattani Ø21 suction holder Length 5m | 922102 |
| Linking cable Surf 6 Cattani Ø21 suction holder Length 7m | 922103 |
| Linking cable Surf 6 UK pending cord holder Length 2.5m | 922104 |
| Linking cable Surf 6 UK pending cord holder Length 5mWw | 922105 |
| Linking cable Surf 6 UK pending cord holder Length 7m | 922106 |

| | |
|---|---------------|
| Linking cable grey 3 UK pending cord holder Length 2m | 922106 |
| Linking cable grey 3 UK pending cord holder Length 7m | 922127 |
| Linking cable dark grey instrument holder Length 2.5m | 922068 |
| Linking cable dark grey instrument holder Length 5m | 922069 |
| Linking cable dark grey instrument holder Length 7m | 922070 |
| Linking cable dark grey Cattani Ø21 suction holder Length 2.5m | 922080 |
| Linking cable dark grey Cattani Ø21 suction holder Length 5m | 922081 |
| Linking cable dark grey UK pending cord holder Length 7m | 922094 |
| Linking cable medium grey instrument holder Length 2.5m | 922071 |
| Linking cable medium grey instrument holder Length 5m | 922072 |
| Linking cable medium grey instrument holder Length 7m | 922073 |
| Linking cable medium grey Cattani Ø21 suction holder Length 5m | 922084 |



ACTEON®
Via Roma 53,
21057 Olgiate Olona (VA)
ITALIA

Tel: +39 0331 376760
Fax: +39 0331 376763
info.it@acteongroup.com

Follow-us

